















PRESSURE COOKERS
COOKWARE
KITCHEN ELECTRICALS

DISCOUNT
OFFER FOR
HAWKINS
SHAREHOLDERS
2025











CTION COMPATIBLE PRESSURE COOKERS ON THIS COLOUR BACKG

HAWKINS CLASSIC



- Made from pure, virgin aluminium, exterior mirror polished
- Base thickness 3.25 mm/4.06 mm
- Super-fast cooking
- Improved pressure regulator saves more fuel

| WITH ALUMINIUM SEPARATORS | | | |
|---------------------------|-----------------|--------------------|----------------------|
| CAPACITY IN LITRES | PRODUCT CODE | PRODUCT MRP (₹) | NUMBER OF SEPARATORS |
| 5 | CL 51 | 2525 | Two |
| 6.5 | CL 66 | 2850 | Three |
| 10 | CL 11 | 3675 | Three |

Inside-fitting safety lid – will not open until pressure falls

• All Pressure Cookers are UL or ISI certified

| CL 15 | 1050 |
|--------|---|
| | 1250 |
| ICL 15 | 1400 |
| CL 20 | 1450 |
| ICL 2T | 1575 |
| CL 3T | 1675 |
| ICL 3T | 1850 |
| CL 3W | 1775 |
| ICL 3W | 1900 |
| CL 35 | 1850 |
| CL 40 | 2025 |
| ICL 40 | 2125 |
| CL 50 | 2275 |
| ICL 50 | 2500 |
| CL 65 | 2550 |
| CL 8T | 2750 |
| CL 8W | 2825 |
| CL 10 | 3200 |
| CL 12 | 3750 |
| | ICL 15 CL 20 ICL 2T CL 3T ICL 3T ICL 3W CL 3S CL 40 ICL 40 CL 50 ICL 50 CL 65 CL 8T CL 8W CL 10 |

HAWKINS INSTAA



- Hard Anodised inside and out non-toxic, hygienic cooking surface, will not pit or tarnish
- Heavy gauge, 4.06 mm/4.88 mm extra-thick base – works on Gas + Induction
- Black body heats faster
- Stays looking new for years
- Plus all the features of Hawkins Classic

| CAPACITY IN LITRES | PRODUCT CODE | PRODUCT MRP (₹) |
|-----------------------|-----------------|--------------------|
| 1.5 | IIH 15 | 1750 |
| 2 (Tall) | IIH 2T | 2125 |
| 3 (Tall) | IIH 3T | 2475 |
| 5 | IIH 50 | 3375 |

HAWKINS CONTURA



- Curved body for easy stirring
- Better visibility of food
- Easier removal of food
- Plus all the features of Hawkins Classic

| CAPACITY IN LITRES | PRODUCT CODE | PRODUCT MRP (₹) |
|-----------------------|-----------------|--------------------|
| 1.5 | HC 15 | 1300 |
| 2 | HC 20 | 1550 |
| 3 | HC 30 | 1775 |
| 3.5 | HC 35 | 2000 |
| 4 | HC 40 | 2125 |
| 5 | HC 50 | 2425 |
| 6.5 | HC 65 | 2700 |

HAWKINS CONTURA BLACK



- Hard Anodised body. Stainless Steel lid
- Black body heats faster
- Non-toxic, non reactive with food
- Stays looking new for years
- Plus all the features of Hawkins Contura

| CAPACITY IN LITRES | PRODUCT CODE | PRODUCT MRP (₹) |
|-----------------------|-----------------|--------------------|
| 1.5 | CB 15 | 1700 |
| 2 | CB 20 | 2050 |
| 3 | CB 30 | 2325 |
| 3.5 | CB 35 | 2575 |
| 4 | CB 40 | 2725 |
| 5 | CB 50 | 3200 |
| 6.5 | CB 65 | 3500 |

HAWKINS CERAMIC NONSTICK



- Revolutionary Ceramic Nonstick coating inside
- At low or medium heat, food will not burn or stick
- Needs up to 36% less oil, cook healthy but tasty dishes
- No PFOA, no PFAS, healthy and hygienic
- Ceramic coating outside, scratch and stain resistant
- So easy to clean!
- Stays looking new for years

| CAPACITY IN LITRES | PRODUCT CODE | PRODUCT MRP (₹) |
|-----------------------|-----------------|--------------------|
| 1.5 | ICC 15 | 1950 |
| 2 | ICC 20 | 2325 |
| 3 | ICC 30 | 2650 |
| 5 | ICC 50 | 3675 |

CERAMIC-COATED HAWKINS CONTURA



- Ceramic non-toxic coating on exterior of body scratch and stain resistant
- Mouth of cooker body provided with metallic rim for additional safety
- Black base heats faster
- Stays looking new for years
- Plus all the features of Hawkins Contura

| CAPACITY IN LITRES | PRODUCT CODE | PRODUCT MRP (₹) |
|-----------------------|-----------------|--------------------|
| 3 | CAG 30 | 2550 |
| 3 | CMY 30 | 2550 |
| 3 | CTR 30 | 2550 |
| 5 | CAG 50 | 3450 |
| 5 | CMY 50 | 3450 |
| 5 | CTR 50 | 3450 |

HAWKINS CONTURA BLACK XT



- 4.88 mm Xtra Thick body, thick base
- Cooks quickly and evenly
- Base stays flat, will not bulge
- Heats evenly all over; retains heat well
- Works on gas, induction, electric, ceramic & halogen
- Plus all the features of Hawkins Contura Black

| CAPACITY IN LITRES | PRODUCT CODE | PRODUCT MRP (₹) |
|-----------------------|-----------------|--------------------|
| 1.5 | CXT 15 | 1950 |
| 2 | CXT 20 | 2325 |
| 3 | CXT 30 | 2650 |
| 3.5 | CXT 35 | 3000 |
| 5 | CXT 50 | 3675 |
| 6.5 | CXT 65 | 4000 |

STAINLESS STEEL HAWKINS CONTURA



- Food-grade stainless steel body and lid
- 6.6 mm extra-thick sandwich bottom heats evenly
- Base stays flat, will not bulge
- Cooks quickly and evenly
- Works on gas, induction, electric, ceramic & halogen
- Plus all the features of Hawkins Contura

| CAPACITY IN LITRES | PRODUCT CODE | PRODUCT MRP (₹) |
|-----------------------|-----------------|--------------------|
| 1.5 | SSC 15 | 2450 |
| 2 | SSC 20 | 2800 |
| 3 | SSC 30 | 3250 |
| 3.5 | SSC 35 | 3500 |
| 5 | SSC 50 | 3925 |

HAWKINS TRI-PLY STAINLESS STEEL

3 mm extra-thick Tri-Ply Stainless Steel body, heavy gauge, eat-diffusing metal core, spreads heat evenly through base & up the sides, food does not burn. Safe for deep-frying before pressure cooking lawkins 18/8 superior, food-grade stainless steel cooking surface, most hygienic

• Wider mouth for easy stirring & better visibility

and durable

| CAPACITY IN LITRES | PRODUCT CODE | PRODUCT MRP (₹) | | | |
|-------------------------|-----------------|--------------------|--|--|--|
| Т | TRI-PLY CLASSIC | | | | |
| 2 | SSTCL 20 | 2825 | | | |
| 3 | SSTCL 3T | 3275 | | | |
| 4 | SSTCL 40 | 3900 | | | |
| 5 | SSTCL 50 | 4200 | | | |
| WITH 2 STA | INLESS STEEL | SEPARATORS | | | |
| 5 | SSTCL 51 | 4700 | | | |
| PRESSURE COOKER CUM PAN | | | | | |
| 3 | SSTPP3 | 3400 | | | |
| HAWKINS TRI-PLY | | | | | |
| 1.5 | HSST 15 | 2725 | | | |
| 2.5 | HSST 25 | 3225 | | | |
| 3.5 | HSST 35 | 3700 | | | |
| 4.5 | HSST 45 | 4300 | | | |
| 7 (Wide) | HSST 7W | 5050 | | | |
| TRI-PLY CONTURA | | | | | |
| 3.5 | SSTCO 35 | 3850 | | | |
| 5 | SSTCO 50 | 4500 | | | |
| | | | | | |

HAWKINS STAINLESS STEEL



- Food-grade Stainless Steel body and lid
- Extra-thick sandwich bottom heats evenly, stays flat always, never bulges
- Safe for light/deep frying before pressure cooking
- Works on gas, induction, electric, ceramic & halogen

| CAPACITY IN LITRES | PRODUCT CODE | PRODUCT MRP (₹) |
|-----------------------|-----------------|--------------------|
| 1.5 | HSS 15 | 2300 |
| 2 | HSS 20 | 2650 |
| 3 (Tall) | HSS 3T | 3100 |
| 3 (Wide) | HSS 3W | 3225 |
| 4 | HSS 40 | 3500 |
| 5 | HSS 50 | 3775 |
| 6 | HSS 60 | 4150 |
| 8 (Wide) | HSS 80 | 5550 |
| 10 | HSS 10 | 6000 |

HAWKINS HEVIBASE



- Double-thick base 6.35 mm thick; stays flat, heats evenly
- Base hard anodised: absorbs heat better, cooks faster
- Works on gas, induction, electric, ceramic & halogen
- Plus all the features of Hawkins Classic

| CAPACITY IN LITRES | PRODUCT CODE | PRODUCT MRP (₹) |
|-----------------------|-----------------|--------------------|
| 2 | IH 20 | 1800 |
| 3 | IH 30 | 2125 |
| 3.5 | IH 35 | 2375 |
| 5 | IH 50 | 2800 |
| 6.5 | IH 65 | 3075 |
| 8 (Wide) | IH 80 | 3600 |

FUTURA

| HARD ANODISED | | | | |
|-----------------------|-----------------|--------------------|--|--|
| CAPACITY IN LITRES | PRODUCT CODE | PRODUCT MRP (₹) | | |
| 2 | FP 20 | 3550 | | |
| 2 | IFP 20 | 3675 | | |
| 3 | FP 30 | 3975 | | |
| 3 | IFP 30 | 4100 | | |
| 4 | FP 40 | 4625 | | |
| 4 | IFP 40 | 4800 | | |
| 5 | FP 50 | 4850 | | |
| 5 | IFP 50 | 5050 | | |
| 6 | FP 60 | 5200 | | |
| 6 | IFP 60 | 5400 | | |
| 7 (Tall) | FP 7T | 5600 | | |
| 7 (Jumbo) | FP 7J | 5650 | | |
| 9 | FP 90 | 6550 | | |



 Hard Anodised: non-toxic, non-reactive with food — hygienic and healthy; will not tarnish, stays looking new for years

• Extra-thick 6.35 mm base: spreads

heat evenly, stays flat, works on gas, electric, ceramic & halogen (and induction, as shown in table)

- Food will not burn even with less oil
- Fingertip steam release for precise control

| STAINLESS STEEL | | | | |
|---|--------|------|--|--|
| CAPACITY PRODUCT PRODUCT IN LITRES CODE MRP (₹) | | | | |
| 4 | FSS 40 | 5200 | | |
| 5.5 | FSS 55 | 5800 | | |

- The beautiful form and function of the Futura - executed in Stainless Steel
- The 7 mm thick base contains a 4.9 mm aluminium disc sandwiched in stainless steel for efficient heat dispersion; base stays flat always, will not bulge
- Works on gas, induction, electric, ceramic & halogen

HAWKINS BIGBOY

Cook large quantities of healthy food quickly and economically

- For hotels, restaurants, large families or for caterers
- Base 4.06 mm/ 4.88 mm extra-thick
- Extra-strong, reinforced fibreglass handles
- 18 & 22 Litre with two lifting handles & two safety valves
- Chain secures pressure regulator to lid to prevent loss



| CAPACITY IN LITRES | PRODUCT CODE | PRODUCT MRP (₹) |
|-----------------------|-----------------|--------------------|
| 14 | BB 14 | 4400 |
| 18 | BB 18 | 7000 |
| 22 | BB 22 | 7900 |

| ITEM | QUANTITY IN 22L | COOKING TIME | |
|---------------|--------------------|-----------------|--|
| Rice | 16 kg/ 35.3 lb | 29 minutes | |
| Tur Dal | 15 kg/ 33.1 lb | 29 minutes | |
| Chana Masala | 13 kg/ 28.7 lb | 48 minutes | |
| Mutton Masala | 16 kg/ 35.3 lb | 39 minutes | |

MISS MARY

- Every cooker tested will not leak
- Safer, shielded safety valve
- Recommended for gas stoves

| IN LITRES | PRODUCT CODE | PRODUCT MRP (₹) |
|-----------|-----------------|--------------------|
| 1.5 | MM 15 | 1100 |
| 2 | MM 20 | 1175 |
| 2.5 | MM 25 | 1225 |
| 3 | MM 30 | 1350 |
| 3.5 | MM 35 | 1400 |
| 4 | MM 40 | 1575 |
| 5 | MM 50 | 1750 |
| 6 | MM 60 | 1900 |
| 7 | MM 70 | 2125 |
| 8.5 | MM 85 | 2325 |
| | | |

MISS MARY HANDI



 Quality-certified by BIS Improved Vent Weight –

more energy-efficient, reduces Dal sprouting

- Curved Body for easy stirring and easy removal of food
 Better visibility of food
- Plus all the features of Miss Mary

| CAPACITY IN LITRES | PRODUCT CODE | PRODUCT MRP (₹) |
|--------------------|-----------------|--------------------|
| 2 | MMH 20 | 1275 |
| 3 | MMH 30 | 1450 |
| 5 | MMH 50 | 1850 |

THE WIDEST RANGE OF COOKWARE FOR ALL YOUR COOKING NEEDS

The designers of Hawkins and Futura Cookware have spared no effort to provide you with the best possible cooking experience.

Each Futura or Hawkins pot or pan is made from heavy gauge, commercially pure metal for even heat dispersion and steady heat retention. Some pots or pans are also given a technologically advanced surface coating. The end result in all cases is a superb cooking surface.

Sturdy, comfortable, stay-cool handles form part of the majority of our Cookware using the finest materials in stainless steel, rosewood, silicone or plastic. The handles stay fixed permanently. Where required, the cookware comes with custom-designed lids either included in the product or as an option at extra cost. The lids are made of stainless steel, hard anodised aluminium, or glass.

We have a wide range of pots and pans to meet each of your different cooking needs. Each Cookware item is designed for the

purpose for which it is made and tried out thoroughly in the Hawkins Test Kitchen before the designs and specifications are approved. Each piece is manufactured carefully and subjected to strict quality control. Each piece is individually packed in a strong, attractive carton designed for protection in transit and sales appeal. An Instruction Manual with tested recipes comes free in each cookware carton (except Tadka Pans and EZEE-POUR® Saucepans).

Our Cookware is presented in seven types of material – Tri-Ply Stainless Steel, Stainless Steel Sandwich Bottom, Cast Iron, Ceramic Nonstick, Nonstick, Hard Anodised and Pressure Die-Cast Aluminium. Choose with confidence from the varieties showcased in this pricelist.

Futura and Hawkins Cookware are designed, manufactured and/or marketed by Hawkins Cookers Limited, manufacturers of the world-famous Hawkins and Futura Pressure Cookers.

HAWKINS PRO TRI-PLY STAINLESS STEEL



The Hawkins Pro Cookware Range is designed for regular rigorous use as in professional kitchens. With extra-thick metal and stainless steel stay-cool handles attached with sturdy rivets that will not loosen. Now, not only can you follow the recipes of professional chefs, but also get results which are as good — with the **Hawkins Pro**. Guaranteed for 5 years.

| CAPACITY (L), | PRODUC | T CODE | MRP | MRP |
|-----------------------------------|----------------|-------------|------|-----------------|
| DIAMETER (cm) & THICKNESS (mm) | WITHOUT LID | WITH LID | (₹) | WITH LID (₹) |
| | FRYING | S PAN | | |
| 18 cm, 3 mm | PSF 18 | PSF 18S | 1425 | 1850 |
| 22 cm, 3 mm | PSF 22 | PSF 22S | 1800 | 2250 |
| 26 cm, 3 mm | PSF 26 | PSF 26S | 2400 | 2900 |
| | HAN | IDI | | |
| 2 L, 16 cm, 3 mm | _ | PSH 20S | - | 2450 |
| 3 L, 20 cm, 3 mm | _ | PSH 30S | _ | 2750 |
| | SAUCE | PAN | | |
| 1.5 L, 16 cm, 3 mm | _ | PSSP 15S | - | 1950 |
| 2.5 L, 18 cm, 3 mm | _ | PSSP 25S | - | 2200 |
| | MILK | PAN | | |
| 3 L, 18 cm, 3 mm | _ | PSMP 30S | - | 2800 |
| (| COOKnSEF | RVE BOWL | | |
| 3 L, 22 cm, 3 mm | _ | PSC 30S | _ | 2800 |
| | DEEP-FR | Y PAN | | |
| 1.5 L, 18 cm, 3 mm | _ | PSK 15S | _ | 2250 |
| 2.5 L, 22 cm, 3 mm | _ | PSK 25S | - | 2700 |
| 3.5 L, 26 cm, 3 mm | _ | PSK 35S | _ | 3000 |
| 5 L, 28 cm, 3 mm | - | PSK 50S | - | 3500 |
| 6 L, 30 cm, 3 mm | _ | PSK 60S | - | 3850 |
| 8 L, 33 cm, 3 mm | - | PSK 80S | - | 4350 |

HAWKINS OLIVE PRO TRI-PLY STAINLESS STEEL



- Extra-thick Tri-Ply stainless steel
- Ceramic coated outside easy to clean
- Stays looking new for years
- Not spoilt by high heat
- Can use metal spatulas
- Stay-cool stainless steel handles
- Cook n Serve in the same pan
- Guaranteed for 5 Years

| PRODUCT CODE | MRP WITH GLASS LID (₹) | | | |
|-----------------|---------------------------------------|--|--|--|
| NG PAN | | | | |
| POSF 22G | 2500 | | | |
| DEEP-FRY PAN | | | | |
| POSK 25G | 3000 | | | |
| | CODE NG PAN POSF 22G FRY PAN | | | |

HAWKINS PRO TRI-PLY STAINLESS STEEL (WITH SHIELDED NONSTICK)



- Extra-thick 3 mm Tri-Ply Stainless Steel; food will not stick and burn even with less oil
- Stay-cool Stainless Steel handles, comfortable to hold even when the pan is hot
- Dishwasher Safe
- Guaranteed for 2 years

| CAPACITY (L), DIAMETER (cm) & THICKNESS (mm) | PRODUCT CODE | MRP WITH GLASS LID (₹) |
|--|--|---|
| FRY | ING PAN | |
| 18 cm, 3 mm | PSNF 18G | 2200 |
| 26 cm, 3 mm | PSNF 26G | 3600 |
| K | ADHAI | |
| 1.5 L, 18 cm, 3 mm | PSNK15G | 2650 |
| 3.5 L, 26 cm, 3 mm | PSNK35G | 3750 |
| | DIAMETER (cm) & THICKNESS (mm) FRY 18 cm, 3 mm 26 cm, 3 mm | DIAMETER (cm) & THICKNESS (mm) FRYING PAN 18 cm, 3 mm |

HAWKINS TRI-PLY STAINLESS STEEL (WITH SHIELDED NONSTICK)

PARATHA TAVA



- Can use metal spatula
- 3.5 mm extra-thick heats fast and evenly on low and medium heat
- Nonstick reinforced on Tri-Ply Stainless Steel for new Tri-Ply Paratha Tava

| DIAMETER (cm) & THICKNESS (mm) | PRODUCT CODE | MRP (₹) |
|-----------------------------------|-----------------|------------|
| 24 cm, 3.5 mm | NSPT 24 | 1750 |
| 26 cm, 3.5 mm | NSPT 26 | 1875 |

DOSA TAVA



- Extra-thick 4 mm Tri-Ply retains heat well. Cooks evenly
- Rivets fixed on flange to maximise area for making large Dosa or several Uttapam or cutlets at one time

| DIAMETER (cm) | PRODUCT | MRP |
|------------------|---------|------|
| & THICKNESS (mm) | CODE | (₹) |
| 28 cm, 4 mm | NSDT 28 | 2000 |

APPACHATTY / DEEP KADHAI

- Can use metal spatula
- Less wear and tear, lasts longer
- Low oil cooking PFOA-free Nonstick shielded by Stainless Steel ridges
- AISI 430 magnetic stainless steel base
- Extra-thick 3 mm Tri-Ply retains heat well. Cooks evenly



- · Less wear and tear, lasts longer
- · Low oil cooking PFOA-free Nonstick shielded by Stainless Steel ridges
- AISI 430 magnetic Stainless Steel Base




| DIAMETER (cm) | PRODUCT CODE | | MRP | MRP WITH |
|------------------|----------------|-------------|------|------------------|
| & THICKNESS (mm) | WITHOUT LID | WITH LID | (₹) | GLASS LID (₹) |
| 22 cm, 3 mm | NSF 22 | NSF 22G | 2175 | 2500 |

MRP WITH GLASS LID (₹) CAPACITY (L), PRODUCT DIAMETER (cm) & THICKNESS (mm) APPACHATTY 3 mm | NSA 125G 2025 **DEEP KADHAI** 3 mm NSDK

HAWKINS TRI-PLY STAINLESS STEEL

TAVA



• Ideal for roti, paratha, tikki, pancakes

| DIAMETER (cm) & THICKNESS (mm) | PRODUCT CODE | MRP (₹) | | | |
|-----------------------------------|-----------------|------------|--|--|--|
| 22 cm, 3.5 mm | SSTV 22 | 1150 | | | |
| 26 cm, 3.5 mm | SSTV 26 | 1400 | | | |
| TAVA WITH ROSEWOOD HANDLE | | | | | |
| 24 cm, 3.5 mm | SSTV 24 | 1300 | | | |

DEEP-FRY PAN



- New deep shape, extra-thick 3 mm body, base and walls
- Stay-cool, sturdy natural rosewood handles
- Toughened Heat-proof Glass Lid

| CAPACITY (L), DIAMETER (cm) & THICKNESS (mm) | PRODUC WITHOUT LID | T CODE WITH LID | MRP (₹) | MRP WITH GLASS LID (₹) | | |
|--|--------------------------|-----------------------|------------|---------------------------------|--|--|
| 1.5 L, 20 cm, 3 mm | SSD 15 | SSD 15G | 1675 | 2000 | | |
| 2.5 L, 24 cm, 3 mm | SSD 25 | SSD 25G | 2000 | 2375 | | |
| | DEEP KADHAI | | | | | |
| 4 L, 26 cm, 3 mm | SSK 40 | SSK 40G | 2575 | 2975 | | |
| 5 L, 28 cm, 3 mm | - | SSK 50G | _ | 3350 | | |

HANDI



- 3 mm extra-thick curved body for easy stirring of difficult dishes
- Two handles easy to Cook and Serve
- Toughened Heat-proof Glass Lid – see food while cooking & servina
- Ideal for curries, pulao, stew, kheer, phirni
- CAPACITY (L), MRP WITH GLASS LID **PRODUCT** DIAMETER (cm) CODE & THICKNESS (mm) (₹) 16 cm, 3 mm SSH 20G 2150 SSH 30G 2400 3 L, 20 cm, 3 mm SSH 40G 2800 20 cm, 3 mm 5 L, 24 cm, 3 mm SSH 50G 3250

TADKA PAN (SPICE HEATING PAN)



- Safe design ensures 100%
- Rim for convenient pouring
- Stay-cool steel handle

| CAPACITY CUPS/ml & THICKNESS (mm) | PRODUCT CODE | MRP (₹) |
|--------------------------------------|-----------------|------------|
| 1.5 CUP/360 ml, 2.5 mm | STP 15 | 525 |
| 2.5 CUP/600 ml, 2.5 mm | STP 25 | 625 |

FRYING PAN



- Extra-thick 3 mm Tri-Ply base and sides heat fast &
- Curved, deeper sides for easy stirring and mixing of foods without spilling
- All-around, Ezee-pour, no-drip flange - pour or slide foods without spilling. Suitable for left/right hand use
- Toughened Heat-proof Glass Lid see food while cooking and serving

| DIAMETER (cm) | PRODUCT CODE | | | | 4400 | MRP WITH |
|----------------|--------------|---------|---------|---------|------------|-------------|
| & | WITHO | OUT LID | WITH | l LID | MRP (₹) | GLASS |
| THICKNESS (mm) | OLD | NEW | OLD | NEW | (-) | LID (₹) |
| *20 cm, 3 mm | SSF 22 | SSF 20 | SSF 22G | SSF 20G | 1425 | 1750 |
| *24 cm, 3 mm | SSF 26 | SSF 24 | SSF 26G | SSF 24G | 1700 | 2075 |

Tri-Ply Advanced Technology

- 1. Cooking Surface Stainless Steel, Food-grade, hygienic
- 2. Core Heavy Gauge Aluminium spreads heat well, no hot spots
- 3. Base Magnetic Stainless Steel, works on Gas + Induction

HAWKINS TRI-PLY STAINLESS STEEL

METRO KADHAI (TASLA)



- safely to the table
- No Rivets: Easy to clean, easy to stack
- Ezee-pour, No-drip Flange. Pour or slide food without spilling

• New deep body, stir without spilling, carry hot curries

| CAPACITY (L), DIAMETER (cm) & THICKNESS (mm) | PRODUCT CODE | MRP (₹) |
|--|-----------------|------------|
| 1.5 L, 18 cm, 3 mm | SSTA 15 | 1150 |
| 2 L, 20 cm, 3 mm | SSTA 20 | 1325 |
| 2.5 L, 22 cm, 3 mm | SSTA 25 | 1500 |
| 3 L, 24 cm, 3 mm | SSTA 30 | 1650 |
| 4 L, 26 cm, 3 mm | SSTA 40 | 1850 |
| 5 L, 28 cm, 3 mm | SSTA 50 | 2100 |
| 6 L, 30 cm, 3 mm | SSTA 60 | 2350 |



METRO PATILA

- Curved base makes stirring easy. Deep sides useful for boiling large liquid quantities
- Unique elliptical rim broad to grip safely, narrow for dripless pour or to grip with tongs
- Extra-thick 2.5 mm Tri-Ply heats evenly, food does not burn and stick as in ordinary Patilas
- Stackable Space-saver design

| CAPACITY (L), | PRODUC | PRODUCT CODE | | |
|-----------------------------------|----------------|--------------|------------|-----------------|
| DIAMETER (cm) & THICKNESS (mm) | WITHOUT LID | WITH LID | MRP (₹) | WITH LID (₹) |
| 1.5 L, 16 cm, 2.5 mm | SSP 15 | _ | 1150 | _ |
| 2 L,17 cm, 2.5 mm | SSP 20 | _ | 1325 | _ |
| 2.5 L, 19 cm, 2.5 mm | SSP 25 | _ | 1500 | _ |
| 3 L, 20 cm, 2.5 mm | _ | SSP 30S | _ | 1850 |
| 4 L, 22 cm, 2.5 mm | _ | SSP 40S | _ | 2050 |
| 5 L, 23 cm, 2.5 mm | _ | SSP 50S | _ | 2350 |

NOTE: Stainless Steel Lid available only with 3 L, 4 L & 5 L.

HAWKINS STAINLESS STEEL SANDWICH BOTTOM COOKWARE

COOK n SERVE CASSEROLE



- Food-grade Stainless Steel body 6.6 mm extra-thick Sandwich Bottom
- High walls, large base versatile: light-fry, stew, sauté, simmer...
- Toughened Heat-proof Glass Lid – see food while cooking and serving
- Two handles easy to Cook and Serve

| CAPACITY (L), DIAMETER (cm) & THICKNESS (mm) | PRODUCT CODE | MRP WITH GLASS LID (₹) |
|--|-----------------|------------------------------|
| 2 L, 20 cm, 6.6 mm | SSCB 20G | 1925 |
| 3 L, 22 cm, 6.6 mm | SSCB 30G | 2200 |
| 4 L, 22 cm, 6.6 mm | SSCB 40G | 2425 |
| 5 L, 26 cm, 6.6 mm | SSCB 50G | 2850 |

COOK n SERVE FRYING PAN



- One pan from kitchen to table
- Sloping, deep sides, large base versatile: fry, stir-fry, sauté, simmer...
- Food-grade Stainless Steel extra-thick 6.6 mm Sandwich Bottom
- Two handles easy to Cook and Serve
- Toughened Heat-proof Glass Lid see food while cooking and serving

| CAPACITY (L), DIAMETER (cm) & THICKNESS (mm) | PRODUCT CODE | MRP WITH GLASS LID (₹) | |
|--|-----------------|------------------------------|--|
| 3 L, 24 cm, 6.6 mm | SSF 3LG | 2400 | |

Guaranteed for 5 years

- 1. Cooking Surface Stainless Steel, food-grade, hygienic
- 2. Core Heavy Gauge Aluminium spreads heat well, no hot spots
- 3. Base Magnetic Stainless Steel, works on ${\sf gas+induction}$



| CAPACITY (L), | PRODUC | CT CODE | MRP | MRP WITH | |
|-----------------------------------|----------------|-------------|------|------------------|--|
| DIAMETER (cm) & THICKNESS (mm) | WITHOUT LID | WITH LID | (₹) | GLASS LID (₹) | |
| 1 L, 13 cm, 4.7 mm | SST 10 | SST 10G | 950 | 1100 | |
| 1.5 L, 14 cm, 4.7 mm | SST 15 | SST 15G | 1100 | 1300 | |
| 2 L, 15 cm, 4.7 mm | SST 20 | SST 20G | 1300 | 1475 | |

TPAN

- Ezee-pour 'No-Drip' Spout
- Extra-thick Sandwich Bottom
- Toughened Heat-proof Glass Lid



HAWKINS CERAMIC NONSTICK

- New Revolutionary Ceramic-based Nonstick
- At low or medium heat, food will not burn or stick
- High quality German Ceramic Nonstick, guaranteed for 5 years
- No PTFE, No PFOA, No PFAS
- Ceramic Coating Needs less oil
- Toughened Glass lid Moist, steam cooking, cooks faster
- Works on Gas+Induction
- Does not stain, stays looking new for years



| DIAMETER (cm) & THICKNESS (mm) | PRODUCT CODE | MRP (₹) |
|-----------------------------------|-----------------|------------|
| 24 cm, 4.88 mm | ICT 24 | 1250 |
| 26 cm, 4.88 mm | ICT 26 | 1425 |
| 28 cm, 4.88 mm | ICT 28 | 1575 |



| DIAMETER (cm) & | PRODUCT CODE | | | MRP | MRP WITH | |
|--------------------|----------------------|--------|-------------|---------|----------|-----------|
| THICKNESS (mm) | WITHOUT LID WITH LID | | WITHOUT LID | | (₹) | GLASS LID |
| THICKINESS (IIIII) | OLD | NEW | OLD | NEW | (., | (₹) |
| *16 cm, 3.25 mm | ICF 17 | ICF 16 | ICF 17G | ICF 16G | 1100 | 1325 |
| 19 cm, 3.25 mm | - | - | ICF 19G | - | - | 1575 |
| *23 cm, 3.25 mm | ICF 24 | ICF 23 | ICF 24G | ICF 23G | 1600 | 1925 |

DEEP KADHAI



| CAPACITY (L), DIAMETER (cm) & THICKNESS (mm) | PRODUCT CODE | MRP WITH GLASS LID (₹) | | | |
|--|-----------------|------------------------------|--|--|--|
| DEEP H | (ADHAI | | | | |
| 1.75 L, 20 cm, 3.25 mm | ICK 175G | 1850 | | | |
| 2.5 L, 23 cm, 3.25 mm | ICK 25G | 2200 | | | |
| 3.5 L, 24 cm, 3.25 mm | ICK 35G | 2550 | | | |
| 5 L, 29 cm, 3.25 mm | ICK 50G | 3025 | | | |
| APPACHATTY | | | | | |
| 0.9 L, 22 cm, 3.25 mm | CA 09G | 1450 | | | |

PASTA PAN, HANDI & COOK n SERVE BOWL







| CAPACITY (L), DIAMETER (cm) | PRODUC | CT CODE | MRP WITH GLASS |
|--------------------------------|----------|---------|-------------------|
| & THICKNESS (mm) | OLD | NEW | LID (₹) |
| P. | ASTA PAN | | |
| *3 L, 26 cm, 3.25 mm | ICP 28G | ICP 26G | 2350 |

| CAPACITY (L), DIAMETER (cm) & THICKNESS (mm) | PRODUCT CODE | MRP WITH GLASS LID (₹) | | | |
|--|-----------------|------------------------------|--|--|--|
| HANDI | | | | | |
| 3 L, 20 cm, 4.06 mm | ICH 30G | 2350 | | | |
| 5 L, 24 cm, 4.06 mm | ICH 50G | 3150 | | | |
| COOK n SERVE BOWL | | | | | |
| 3 L, 22 cm, 4.06 mm | ICCB 30G | 2500 | | | |

HAWKINS AQUA



- The Aqua series is designed with a finer grade of ceramic coating which is of light ivory colour and gives a smoother finish.
- This formulation is uniquely designed to not stain even with Indian recipes.
- This ceramic coating which has no PFAS, no PTFE, no heavy metals, has been developed after over a thousand actual cooking trials by Hawkins R&D and the Hawkins Test Kitchen.
- This imported world-class ceramic is being launched in India for the first time.

| CAPACITY (L), DIAMETER (cm) | PRODUCT CODE | MRP WITH GLASS LID (₹) |
|--------------------------------|-----------------|------------------------------|
| DFP CA | SSEROLE | |
| 2 L, 20 cm | IUC 20G | 2150 |
| 3 L, 23 cm | IUC 30G | 2500 |
| BABY CA | SSEROLE | |
| 1.25 L, 16 cm | UBC 125G | 1400 |

HAWKINS PRESSURE DIE-CAST COOKWARE

PIZZA MAKER & CAKE BAKER



- Unique Design The Pizza Maker and Cake Baker with its glass lid forms the ideal chamber for baking Pizzas or Cakes on your gas stove
- Precisely engineered inner walls to place the pizza pan/cake tin at the correct height
- Toughened 4 mm thick Heat-Proof Glass Lid traps heat inside, creating an oven like heated chamber
- Home-made Healthy Pizza on Gas in 20 minutes! Cake in 40 minutes!

| DIAMETER (CM): & THICKNESS (mm) | PRODUCT CODE | MRP WITH GLASS LID (₹) |
|------------------------------------|--------------|---------------------------|
| 29 cm, 7.5 mm | PIZZA | 3000 |

MINI CASSEROLE



| CAPACITY (L) & THICKNESS (mm) | PRODUCT CODE | MRP WITH LID (₹) | | |
|-------------------------------|-----------------|---------------------|--|--|
| OVAL SERIES WITH GLASS LID | | | | |
| 0.75 L, 5 mm | DCR 75G | 925 | | |
| 0.75 L, 5 mm | DCG 75G | 925 | | |
| 0.75 L, 5 mm | DCY 75G | 925 | | |
| ROUND SERIES | | | | |
| 0.75 L, 5 mm | MCRR 75 | 925 | | |
| 0.75 L, 5 mm | MCRG 75 | 925 | | |
| 0.75 L, 5 mm | MCRY 75 | 925 | | |
| SQUAI | RE SERIES | | | |
| 0.75 L, 5 mm | MCSR 75 | 925 | | |
| 0.75 L, 5 mm | MCSG 75 | 925 | | |
| 0.75 L, 5 mm | MCSY 75 | 925 | | |

- Food-grade special Ceramic Nonstick inside. Not spoilt by high heat; metal spoon friendly; scratch and stain resistant
- Outside vibrant Ceramic Red (R) / Yellow (Y) / Grey (G). Stain-free, long lasting lustre
- Cook, Serve, Store, Reheat
- No Sticking, No Burning, No PFOA

GRILL PAN



- Precision-cast ridges Grill, sear and braise
- Extra-thick 6 mm ridges raise food Excess oil drains away for healthful and tasty food
- Three-coat durable PFOA-free nonstick
 Healthy, hygienic, low-oil cooking
- Toughened Heat-proof Glass Lid Cook-n-Serve elegantly. See the food without lifting the lid

| DIAGONAL LENGTH (cm) | | PRODUCT CODE | | MRP WITH GLASS LID | |
|----------------------|----------------|--------------|------|-----------------------|--|
| & THICKNESS (mm) | WITHOUT LID | WITH LID | (₹) | GLASS LID (₹) | |
| 26 cm, 3 mm | _ | IGP 26G | _ | 1700 | |
| 30 cm, 3 mm | DCGP 30 | DCGP 30G | 1750 | 2150 | |

MULTI SNACK PAN

- 10 cm Diameter cups Shapes batter
- 3-coat durable PFOA-free nonstick -Healthy, hygienic, low-oil cooking
- Mix 'n' Match Snacks Save time, serve faster
- Hi-Tech Ceramic Coating outside Scratch and stain resistant



| DIAGONAL LENGTH (cm) & THICKNESS (mm) | PRODUCT CODE | MRP WITH GLASS LID (₹) |
|--|--------------|------------------------------|
| 30 cm, 3 mm | DCMS 30G | 1950 |

APPE PAN (PANIYARAKKAL)

- 12 cups each 20 cm pan (each cup 25 ml) & 24 cm pan (each cup 45 ml)
- Three-coat durable PFOA-free nonstick – Healthy, hygienic, low-oil cooking



| DIAMETER (cm) | PRODUCT CODE | | MRP WITH GLASS LID | | |
|-------------------|--------------|----------|-----------------------|--|--|
| & CAPACITY (cups) | OLD | NEW | (₹) | | |
| *20 cm, 12 cups | NAPE 22G | NAPE 20G | 1350 | | |
| *24 cm, 12 cups | NAPE 26G | NAPE 24G | 1825 | | |

FRYING PAN

- 6 mm/7 mm extra-thick base food will not burn or stick
- Three-coat durable PFOA-free nonstick Healthy, hygienic, low-oil cooking
- Hi-Tech Ceramic Coating outside –
 Scratch and stain resistant
- Ezee-pour, No-drip Spouts for left or right handed pour

| iii not burn or s | STICK |
|-------------------|-------|
| | |
| | |

| DIAMETER () 0 | | PRODUCT CODE MRP | | 1400 | MRP WITH | |
|--------------------------------|---------|------------------|----------|----------|------------|-----------|
| DIAMETER (cm) & THICKNESS (mm) | | OUT LID | WIT | 'H LID | MKP (₹) | GLASS LID |
| I FICKNESS (mm) | OLD | NEW | OLD | NEW | (<) | (₹) |
| *20 cm, 6 mm | IDCF 22 | IDCF 20 | IDCF 22G | IDCF 20G | 1200 | 1500 |
| *22 cm, 7 mm | IDCF 24 | IDCF 22 | IDCF 24G | IDCF 22G | 1500 | 1800 |

SHALLOW KADHAI

- Three-coat durable PFOA-free Nonstick
 lasts longer than ordinary nonstick
- Toughened Heat-proof Glass Lid see food while cooking
- Metallic Integrated Handles can be put into the oven.
 Gets hot – handle with care!
 Use cloth or oven mitts



| CAPACITY (L), DIAMETER (cm) & THICKNESS (mm) | PRODUCT CODE | MRP WITH GLASS LID (₹) |
|--|-----------------|------------------------------|
| 3 L, 29 cm, 6.5 mm | IDCSK 3G | 2400 |

DUTCH OVEN

- Oval Shape with high walls concentrates heat and cooks food from all sides
- Extra-thick 7.5 mm base allows uniform heating without burning
- Ideal for layered dishes (8.8 cm Height) such as *Biryani*, Shephard's pie and Lasagna



| CAPACITY (L), DIAMETER (cm) & THICKNESS (mm) | PRODUCT CODE | MRP WITH GLASS LID (₹) |
|--|-----------------|------------------------------|
| 3 L, 20 cm, 7.5 mm | DCDO 3G | 2400 |

FUTURA° HARD ANODISED

- 1. Hygienic and Healthy-Non-toxic, Non-staining, Non-reactive with foods
- 2. Not spoilt by high heat; metal ladles can be used
- 3. Cooks some foods faster, crispier
- 4. Extra-thick, black metal spreads heat evenly, is more durable
- 5. Stays looking new for years
- 6. Guaranteed for 5 years

FUTURA NONSTICK

- 1. High quality German PFOA-free Nonstick
- 2. Nonstick locked firmly into the tough Hard Anodised surface with a unique patented process
- 3. Extra-thick, black metal spreads heat evenly, is more durable
- 4. Lasts longer than ordinary nonstick
- 5. Guaranteed for 2 years

FUTURA PRO NONSTICK

The Futura Pro Nonstick Cookware Range is designed for regular rigorous use as in professional kitchens. It has an Extra-thick Hard Anodised aluminium body with a nonstick cooking surface. Stainless Steel Stay-cool handles are attached with sturdy rivets that will not loosen. Dishwasher safe. Now, not only can you follow the recipes of professional chefs, but also get results which are as good – with the Futura Pro Nonstick.





| CAPACITY (L), DIAMETER (cm) & THICKNESS (mm) | PRODUCT CODE | MRP (₹) | | | | |
|--|-----------------|------------|--|--|--|--|
| FRYING PAN | | | | | | |
| 22 cm, 4.06 mm | PNF 22S | 2200 | | | | |
| KADHAI | | | | | | |
| 2.5 L, 22 cm, 4.06 mm | PNK 25S | 2650 | | | | |

FUTURA TAVA (GRIDDLES)

HARD ANODISED ROTI TAVA



- Up to 6.35 mm extra-thick, black metal heats fast and evenly, no hot spots
- Stay-cool handles in metal or plastic stay firmly fixed with strong rivets
- Rivets 'splayed' to maximise cooking surface

| DIAMETER (cm) & THICKNESS (mm) | PRODUCT CODE | MRP (₹) |
|-----------------------------------|-----------------|------------|
| 22 cm, 4.06 mm | AT 22 | 825 |
| 24 cm, 4.88 mm | AT 24 | 1025 |
| 26 cm, 4.88 mm | AT 26 | 1125 |
| 26 cm, 6.35 mm | AT 26X | 1250 |
| 26 cm, 6.35 mm (PH) | AT 26XP | 1250 |
| 28 cm, 4.88 mm | AT 28 | 1275 |
| 30 cm, 4.88 mm (PH) | AT 30P | 1500 |



- Designed for making perfect Rotis on gas or induction
- 4.88 mm extra-thick metal heats evenly, stays flat even after heavy use, to maximise contact on induction cooktops

| DIAMETER (cm) & THICKNESS (mm) | PRODUCT CODE | MRP (₹) | |
|-----------------------------------|-----------------|------------|--|
| 24 cm, 4.88 mm | IART 24 | 1150 | |
| 26 cm, 4.88 mm | IART 26 | 1275 | |
| 28 cm, 4.88 mm (PH) | IART 28 | 1450 | |

HARD ANODISED FLAT TAVA



- Unique design for the perfect Uttapams and Pancakes
- Useful when spreading liquid batter helps retain the shape more evenly
- The rim contains batter and cooking oil better, with less spillage and greater safety

| DIAMETER (cm) & THICKNESS (mm) | PRODUCT CODE | MRP (₹) |
|-----------------------------------|-----------------|------------|
| 22 cm, 4.06 mm | AFT 22 | 900 |
| 26 cm, 4.88 mm | AFT 26 | 1225 |
| 26 cm, 4.88 mm (PH) | AFT 26P | 1225 |
| 26 cm, 4.88 mm | IAFT 26 | 1450 |

NONSTICK TAVA

NONSTICK DOSA TAVA



- The Futura Nonstick Tava can cook all the foods that can be cooked in Hard Anodised Tava with less or no oil or butter, if required
- The extra-thick 4.06 mm black metal protects the nonstick better, and spreads heat evenly, creating an even cooking surface with no hotspots
- The German PFOA-free Nonstick is perfect for cutlets, eggs, French toasts as well

| DIAMETER (cm) & THICKNESS (mm) | PRODUCT CODE | MRP (₹) | |
|-----------------------------------|-----------------|------------|--|
| 22 cm, 4.06 mm | NT 22 | 950 | |
| 26 cm, 4.06 mm | NT 26 | 1125 | |



- Just the right shape & curvature the batter does not spill over the edge, nor does it pool in the centre
- Rivets fixed on flange to maximise area for making the largest Dosa or several Uttapam or cutlets at one time

| DIAMETER (cm) & THICKNESS (mm) | PRODUCT CODE | MRP (₹) | |
|-----------------------------------|-----------------|------------|--|
| 28 cm, 4.88 mm | NDT 28 | 1600 | |
| 28 cm, 4.88 mm | INDT 28 | 1825 | |
| 30 cm, 4.88 mm | NDT 30 | 1775 | |
| 30 cm, 4.88 mm | INDT 30 | 2000 | |
| 33 cm, 4.88 mm | NDT 33 | 1925 | |

NONSTICK FLAT TAVA



- Extra-thick 4.06 mm/4.88 mm protects the nonstick better
- Quick-release German Nonstick well-suited to making the perfect pancake, Uttapam or egg roll

| DIAMETER (cm) & THICKNESS (mm) | PRODUCT CODE | MRP (₹) |
|-----------------------------------|-----------------|------------|
| 22 cm, 4.06 mm | NFT 22 | 1100 |
| 26 cm, 4.88 mm | NFT 26 | 1450 |
| 26 cm, 4.88 mm (PH) | NFT 26P | 1450 |
| 26 cm, 4.88 mm | INFT 26 | 1675 |
| 30 cm, 4.88 mm | NFT 30 | 1675 |
| 30 cm, 4.88 mm (PH) | NFT 30P | 1675 |
| 30 cm, 4.88 mm | INFT 30 | 1900 |
| | | |

FUTURA DEEP-FRY PANS

FUTURA HARD ANODISED DEEP-FRY PANS

DEEP-FRY PANS (FLAT BOTTOM)



- 3.25 mm/4.06 mm extra-thick Hard Anodised base and walls heat fast and evenly
- Flat bottom allows for greater stability on gas, use on electric or halogen cooktops (and induction for some models). Cook and serve in the same pan

PRODUCT CODE WITH LID

ADL 25S

AD 25S

IAD 259

AD 375S

IAD 375S

AD 50S

AD 75S

AD 20G

AD 30G

IAD 375G

DEEP-FRY PANS WITH GLASS LID

CAPACITY (L), DIAMETER (cm) & THICKNESS (mm)

2.5 L, 25 cm, 4.06 mm

2.5 L, 25 cm, 4.06 mm

5 L, 25 cm, 4.06 mm

3.75 L, 29 cm, 4.06 mm

3.75 L, 29 cm, 4.06 mm

5 L, 32 cm, 4.06 mm

2 L, 24 cm, 3.25 mm

3 L, 26 cm, 4.06 mm

5 L, 29 cm, 4.06 mn

7.5 L, 35 cm, 4.06 mm

- Strong, Stay-cool, riveted, natural rosewood handles are firmly fixed, comfortable and safe for handling heavy, hot loads of oil and food
 - Glass lid models have a toughened Heat-proof Glass Lid – Cook-n-Serve elegantly. See the food without lifting the lid

KADHAI / DEEP-FRY PANS (ROUND BOTTOM)



- Round bottom uses less oil
- Extra-thick 3.25 mm/4.06 mm metal body heats the food in the pan evenly from base and curved sides
- Strong, Stay-cool, natural rosewood handles
- Toughened Glass Lid 4 mm thick with strong, stainless steel rim. Stops spatter of hot oil. See the food as it being cooked

| CAPACITY (L), | PRODU | CT CODE | | MRP |
|-----------------------------------|----------------|-------------|------------|--------------------|
| DIAMETER (cm) & THICKNESS (mm) | WITHOUT LID | WITH LID | MRP (₹) | WITH LID (₹) |
| 1.5 L, 20 cm, 3.25 mm | AK 15 | AK 15S | 1125 | 1450 |
| 2.75 L, 26 cm, 4.06 mm | _ | AK 275S | ı | 2175 |
| 4 L, 28 cm, 4.06 mm | _ | AK 40S | - | 2550 |
| KADHAI | LASS LID | | | |
| 1.5 L, 20 cm, 3.25 mm | _ | AK 15G | - | 1450 |
| 2 L, 20 cm, 3.25 mm | _ | IAK 20G | - | 1875 |
| 2.5 L, 25 cm, 3.25 mm | _ | AFFK 25G | - | 1975 |
| 5 L, 29 cm, 4.06 mm | _ | IAK 50G | _ | 2950 |

FUTURA NONSTICK DEEP-FRY PANS

DEEP-FRY PANS (FLAT BOTTOM)

MRP WITH LID (₹)

2050

2125

2400

2525

2800

3425

1875

2250



| CAPACITY (L), | PRODU | CT CODE | AADD | MRP |
|---|----------------|-------------|------------|--------------------|
| DIAMETER (cm) & THICKNESS (mm) | WITHOUT LID | WITH LID | MRP (₹) | WITH LID (₹) |
| 2 L, 24 cm, 3.25 mm STIR-FRY PAN | NDL 20 | NDL 20S | 1250 | 1600 |
| 2.5 L, 26 cm, 3.25 mm | _ | ND 25S | _ | 2050 |
| 2.5 L, 26 cm, 3.25 mm | - | IND 25S | - | 2175 |
| 3 L, 26 cm, 3.25 mm STIR-FRY WOK | INW 30 | INW 30S | 2000 | 2375 |
| 3.5 L, 26 cm, 3.25 mm DEEP KADHAI | - | INK 35S | - | 2475 |
| DEEP-FRY | PANS WI | TH GLAS | S LID | |
| 2 L, 24 cm, 3.25 mm STIR-FRY PAN | _ | NDL 20G | _ | 1600 |
| 2.5 L, 23 cm, 3.25 mm DEEP KADHAI | _ | INDK 25G | - | 2175 |
| 2.5 L, 26 cm, 3.25 mm SHALLOW KADHAI | - | INSK 25G | - | 2175 |
| 3 L, 24 cm, 3.25 mm DEEP KADHAI | - | INK 30G | _ | 2300 |
| 5 L, 29 cm, 3.25 mm DEEP KADHAI | _ | INK 50G | _ | 2975 |

- Extra-thick 3.25 mm metal body heats food evenly from base and curved sides. The thick metal protects the German PFOA-free nonstick better
- Strong, riveted, Stay-cool, rosewood or plastic handles
- Perfect for sautéing and stir-frying foods using minimal quantities of oil; also, for Deep-frying and for cooking gravies, curries and sauces

KADHAI / DEEP-FRY PANS (ROUND BOTTOM)



- Round bottom allows cooking with minimal amount of oil
- Extra-thick 3.25 mm metal body heats the food in the pan evenly from base and curved sides, and safeguards the nonstick better
- The Breakfast Pan/Appachatty is perfect for Appam, or for quick breakfast bites like Poha, Akuri and Upma

| CAPACITY (L), | PRODUC | PRODUCT CODE | | MRP |
|---|----------------|--------------|------------|--------------------|
| DIAMETER (cm) & THICKNESS (mm) | WITHOUT LID | WITH LID | MRP (₹) | WITH LID (₹) |
| 1.5 L, 20 cm, 3.25 mm | NK 15 | NK 15S | 1175 | 1450 |
| 2.5 L, 24 cm, 3.25 mm | NK 25 | NK 25S | 1475 | 1825 |
| 4 L, 28 cm, 3.25 mm | NK 40 | NK 40S | 1975 | 2375 |
| APPACHATTY/BREAKFAST PAN WITH GLASS LIE | | | | |
| 0.9 L, 20 cm, 3.25 mm | _ | NBFP 09G | _ | 1375 |

NOTE: If not otherwise specified, lids for all types of Pans are made of Stainless Steel

FUTURA FRYING PANS

HARD ANODISED FRYING PANS



- 4.06 mm extra-thick Hard Anodised metal helps you cook without worries of burning food, and with minimal heat control
- Pans conduct heat quickly and evenly, so high heat is rarely necessary
- Strong, Stay-cool, riveted handles are firmly fixed, will not loosen
- The SS handle 29 cm pan goes in the oven or under a broiler/grill

| | 1 | | | | | |
|-------------------------------|--------|--------------|---------|---------|------------|----------|
| DIAMETER (cm) | | PRODUCT CODE | | | | MRP |
| & | WITH | OUT LID | WITH | l LID | MRP (₹) | WITH LID |
| THICKNESS (mm) | OLD | NEW | OLD | NEW | (\) | (₹) |
| *17 cm, 4.06 mm | AF 18 | AF 17 | AF 18S | AF 17S | 875 | 1125 |
| *20 cm, 4.06 mm | AF 22 | AF 20 | AF 22S | AF 20S | 1025 | 1300 |
| *20 cm, 4.06 mm | IAF 22 | IAF 20 | IAF 22S | IAF 20S | 1150 | 1425 |
| *24 cm, 4.06 mm | AF 25 | AF 24 | AF 25S | AF 24S | 1275 | 1625 |
| *24 cm, 4.06 mm | IAF 25 | IAF 24 | IAF 25S | IAF 24S | 1425 | 1775 |
| *29 cm, 4.06 mm | AF 30 | AF 29 | AF 30S | AF 29S | 1675 | 2075 |
| FRYING PAN WITH ROUNDED SIDES | | | | | | |
| *20 cm, 4.06 mm | _ | _ | AF 22RS | AF 20RS | _ | 1325 |
| F | RYING | PAN WIT | H GLAS | S LID | | |

NONSTICK FRYING PANS



- Perfect for cooking foods such as fried eggs, omelettes, pancakes and uttapam with minimal use of oil or butter
- The Frying Pan with rounded sides has extra height to prevent spilling of food while stirring
- 16 cm, 20 cm and 24 cm models come with a toughened heat-proof glass lid - makes it easy to see the food without lifting the lid

| DIAMETER (cm) & THICKNESS (mm) | | OUT LID | | l LID | MRP (₹) | MRP WITH LID (₹) |
|--------------------------------------|---------------|---------|----------------|----------------|------------|------------------------|
| | OLD | NEW | OLD | NEW | | |
| *17 cm, 3.25 mm | NF 18 | NF 17 | NF 18S | NF 17S | 875 | 1125 |
| *20 cm, 3.25 mm | NF 22 | NF 20 | NF 22S | NF 20S | 1025 | 1300 |
| *20 cm, 3.25 mm | INF 22 | INF 20 | INF 22S | INF 20S | 1150 | 1425 |
| *24 cm, 3.25 mm | NF 26 | NF 24 | NF 26S | NF 24S | 1275 | 1625 |
| *24 cm, 3.25 mm | INF 26 | INF 24 | INF 26S | INF 24S | 1425 | 1775 |
| *28 cm, 3.25 mm | NF 30 | NF 28 | NF 30S | NF 28S | 1675 | 2075 |
| *29 cm, 3.25 mm STEEL HANDLE | INFS 30 | INFS 29 | INFS 30S | INFS 29S | 1900 | 2300 |
| | | PAN WIT | | | | |
| *24 cm, 3.25 mm | NF 26R | NF 24R | NF 26RS | NF 24RS | 1350 | 1700 |
| | FRYIN | IG PAN | WITH GI | ASS LID |) | |
| *16 cm, 3.25 mm | _ | INF 16 | _ | INF 16G | 925 | 1175 |
| *20 cm, 3.25 mm | _ | _ | NF 22G | NF 20G | _ | 1300 |
| *24 cm, 3.25 mm | _ | _ | NF 26G | NF 24G | _ | 1625 |
| *24 cm, 3.25 mm | _ | _ | INF 26G | INF 24G | _ | 1775 |

HARD ANODISED TADKA PANS (SPICE HEATING PANS)

AF 22G AF 20G



- tadka, quick heating of flavourful spices
- Useful for melting butter or reheating small quantities of food as well
- Safe design ensures 100% Attention

| CAPACITY CUPS/ml, & THICKNESS (mm) | PRODUCT CODE | MRP (₹) |
|---------------------------------------|-----------------|------------|
| 1 CUP/240 ml, 3.25 mm | ATP 1 | 425 |
| 2 CUPS/480 ml, 3.25 mm | ATP 2 | 525 |

NONSTICK ALL PURPOSE PANS



deep-frying, sautéing and stewing a variety of foods. The generous curved radius at the base is useful when cooking foods that require a lot of stirring

• The Snug-fit Dome-shaped lid is suitable for simmering and for cooking large whole foods such as whole chicken or cauliflower

| CAPACITY (L), DIAMETER (cm) & THICKNESS (mm) | PRODUCT CODE | MRP WITH LID (₹) |
|--|-----------------|------------------------|
| 2.5 L, 22 cm, 3.25 mm | NAP 25 | 1650 |
| 3 L, 22 cm, 3.25 mm | NAP 30 | 1900 |

NONSTICK CURRY PANS (SAUTÉ PANS)



*20 cm, 4.06 mm - -

- Curry Pans are deeper and hence ideal for sautéing, Stir-frying and Deep-frying in addition to their use as a frying pan
- Also available with toughened Heat-proof Glass Lid – see the food without lifting the lid

| CAPACITY (L), DIAMETER (cm) & THICKNESS (mm) | PRODUCT CODE | MRP WITH GLASS LID (₹) |
|--|-----------------|------------------------------|
| 2 L, 20 cm, 3.25 mm | NCP 20G | 1495 |
| 3.25 L, 24 cm, 3.25 mm | NCP 325G | 1840 |

NONSTICK UTTAPAM PAN (GLASS LID)

- Extra-thick 4.06 mm base -Food doesn't stick or burn
- Glass Lid traps steam, cooks faster, makes food tastier & fluffier
- Cooks fluffy Uttapam, Egg Omelette, Pancakes, Thalipeeth & Chilla



| DIAMETER (cm) & THICKNESS (mm) | PRODUCT CODE | MRP WITH GLASS LID (₹) |
|-----------------------------------|-----------------|------------------------------|
| 24 cm, 4.06 mm | NUP 24G | 1825 |

MRP WITH

COOK n SERVE STEWPOTS, BOWLS & CASSEROLES

COOKn SERVE BOWLS & CASSEROLES

| CAPACITY (L), DIAMETER (cm) & THICKNESS (mm) | PRODUCT CODE | MRP WITH HA LID (₹) |
|--|-----------------|---------------------------|
| HARD ANODISED C | OOK n SERV | E BOWLS |
| 2 L, 19 cm, 4.06 mm | ACB 20 | 1525 |
| 2 L, 19 cm, 4.06 mm | IACB 20 | 1650 |
| 3 L, 22 cm, 4.06 mm | ACB 30 | 1950 |
| 3 L, 22 cm, 4.06 mm | IACB 30 | 2100 |
| 4 L, 22 cm, 4.06 mm | ACB 40 | 2050 |
| 5 L, 22 cm, 4.06 mm | ACB 50 | 2300 |
| 6 L, 26 cm, 4.06 mm | ACB 60 | 2575 |
| HARD ANODISED COOK n SERVE CASSEROLE (GLASS LID) | | |
| 4 L, 22 cm, 4.06 mm | IACB 40G | 2250 |

| CAPACITY (L), DIAMETER (cm) & THICKNESS (mm) | PRODUCT CODE | MRP WITH GLASS LID (₹) | | |
|--|-----------------|------------------------------|--|--|
| NONSTICK COOK n SERVE CASSEROLES | | | | |
| 2 L, 20 cm, 3.25 mm | INCB 20G | 1675 | | |
| 3 L, 22 cm, 4.06 mm | NCB 30G | 2150 | | |
| 5 L. 26 cm. 4.06 mm | INCB 50G | 2750 | | |

- Extra-thick 3.25 mm/4.06 mm base and sides heat evenly and retain warmth for a long time
- Perfect for biryani, pilau and khichdi, stews, curries and stuffed vegetables

COOK n SERVE STEWPOTS

- A modern version of the traditional Indian patila or degchi
- Extra-thick 3.25 mm/4.06 mm base and sides heat evenly and retain warmth for a long time making the Stewpot excellent for both cooking and serving in the same dish
- Perfect for rice, dal, curries and many popular desserts such as firni, sooji halwa and rasmalai
- · Also available with Toughened Heat-proof glass lid which locks in the steam and flavours

| CAPACITY (L), DIAMETER (cm) & THICKNESS (mm) | PRODUCT CODE | MRP WITH LID (₹) | |
|--|-----------------|------------------------|--|
| HARD ANODISED STEWPOTS | | | |
| 2.25 L, 18 cm, 3.25 mm | AST 225 | 1400 | |
| 5 L, 24 cm, 4.06 mm | AST 50 | 2400 | |
| 8.5 L, 28 cm, 4.06 mm | AST 85 | 3300 | |
| HARD ANODISED STEWPOT (WITH GLASS LID) | | | |
| 5 L, 24 cm, 4.06 mm | AST 50G | 2400 | |
| NONSTICK STEWPOTS (WITH GLASS LID) | | | |
| 3 L, 20 cm, 3.25 mm | NST 30G | 1975 | |
| 5 L, 24 cm, 3.25 mm | NST 50G | 2400 | |

FUTURA COOK n SERVE HANDIS

| CAPACITY (L), DIAMETER (cm) & THICKNESS (mm) | PRODUCT CODE | MRP WITH GLASS LID (₹) |
|--|-----------------|------------------------------|
| HARD ANODISED CO | OOK n SERV | E HANDI |
| 2 L, 16 cm, 3.25 mm | ACH 20G | 1650 |
| 3 L, 20 cm, 3.25 mm | ACH 30G | 2050 |
| 3 L, 20 cm, 3.25 mm | IACH 30G | 2175 |
| 4 L, 20 cm, 3.25 mm | ACH 40G | 2225 |
| 4 L, 20 cm, 3.25 mm | IACH 40G | 2350 |
| 5 L, 24 cm, 4.06 mm | ACH 50G | 2800 |
| 5 L, 24 cm, 4.06 mm | IACH 50G | 3000 |
| | | |

- Extra-thick 3.25 mm/4.06 mm curved body is perfect for easy stirring of difficult dishes. Well-suited for stir-frying, sautéing and simmering too
- Toughened heat-proof glass lid locks in the steam and flavours. See the food cook without lifting the lid
- Elegant natural rosewood handles
- Perfect for curries, pilau, vegetables with gravy, pasta, paneer, soups and stews



FUTURA BIGBOY BIRYANI HANDI



- Unique curved body stir and handle large loads easily
- 4.06 mm extra-thick strong body heats fast and evenly
- Tough, riveted, Stay-cool handles easy to manage heavy loads
- Unique lid holds water, tenderises food inside
- Ideal for large families, parties, hotels, dhabas, clubs, caterers, and canteens

| CAPACITY (L), DIAMETER (cm) & THICKNESS (mm) | PRODUCT CODE | MRP WITH HA LID (₹) | |
|--|-----------------|---------------------------|--|
| NONSTICK | | | |
| 12 L, 29 cm, 4.06 mm | NBH 12 | 4700 | |
| HARD ANODISED | | | |
| 8 L, 26 cm, 4.06 mm | ABH 8 | 3600 | |
| 12 L. 29 cm. 4.06 mm | ABH 12 | 4500 | |

FUTURA HANDI SAUCEPANS



 Steam rises from the food and condenses on the underside of specially designed hard anodised lid, which is cooler as it holds water in its moat. Water droplets fall directly on to the food inside - making delicious, tender and moist food

| CAPACITY (L), DIAMETER (cm) & THICKNESS (mm) | PRODUCT CODE | MRP WITH HA LID (₹) | |
|--|-----------------|------------------------|--|
| HARD ANODISED HANDI SAUCEPANS | | | |
| 2 L, 16 cm, 4.06 mm | AH 20 | 1525 | |
| 3 L, 18 cm, 4.06 mm (1 LONG & 1 SHORT HANDLE) | AH 3L | 1925 | |
| 3 L, 18 cm, 4.06 mm | AH 3S | 1925 | |

FUTURA SAUCEPANS



- CAPACITY (L), DIAMETER (cm) WITHOUT WITH LID (₹) & THICKNESS (mm) HARD ANODISED SAUCEPANS 1 L, 14 cm, 3.25 mm AS 10 | AS 10S | 900 1050 1.5 L, 16 cm, 3.25 mm AS 15 AS 15S 1050 1225 1.5 L, 16 cm, 3.25 mm IAS 15 | IAS 15S | 1150 1325 2 L, 18 cm, 3.25 mm IAS 20 IAS 20S 1200 1450 2.25 L, 18 cm, 3.25 mm AS 225 AS 225S 1150 1400
- Specially designed, Ezee-pour spout for pouring with almost no drip, in the 1, 1.5 and 2 Litre models
- Strong, Stay-cool, riveted plastic handles
- · Perfect for making tea, soups or other beverages, or boiling milk

PRODUCT CODE

FUTURA CAST IRON

Cast Iron is made from iron heated to over 1200 degrees centigrade, with many wonderful properties for cooking

- Retains heat well, easy to cook in. Certain foods will brown better, cook faster and crispier, and cook more evenly inside and out
- No coating Naturally Nonstick, healthy, tasty, crispy food
- Pre-seasoned with vegetable oil Will not rust with regular care
- The more you use it, the better it gets! The cast iron pan surface gets seasoned with more use, becoming smoother and better for cooking
- Rough and tough Can use high heat, metal ladles
- Versatile It may be used on gas cooktops, in the oven, on a grill or a chulha.







SQUARE TAVA

TAVA







FRYING PAN

KADHAI

APPE PAN

| DIAMETER (cm) & THICKNESS (mm) | PRODUCT CODE | MRP (₹) | |
|-----------------------------------|-----------------|------------|--|
| TA | AVA | | |
| 24 cm, 4.9 mm | CIT 24 | 1550 | |
| SQUARE TAVA | | | |
| 26 cm, 4.9 mm | CIST 26 | 2100 | |
| DOSA TAVA | | | |
| 27 cm, 4.9 mm | CIDT 27 | 2100 | |
| | | | |



| $R\Delta RY$ | CASSEROL | F |
|--------------|----------|---|
| וטחטו | CASSENCE | - |

| CAPACITY (L/cups), DIAMETER (cm) & THICKNESS (mm) | PRODUCT CODE | MRP WITH GLASS LID (₹) | |
|---|-----------------|------------------------------|--|
| FRYING PAN | | | |
| 0.8 L, 16 cm, 4.9 mm (single wooden handle) | CIF 16G | 1900 | |
| 1.8 L, 24 cm, 4.9 mm (two handles) | CIF 24G | 2550 | |
| BABY CASSEROLE | | | |
| 1.25 L, 16 cm, 4.9 mm | CIC 125G | 1950 | |
| KADHAI | | | |
| 1.5 L, 20 cm, 4.9 mm | CIK 15G | 2300 | |
| 2 L, 22 cm, 4.9 mm | CIK 20G | 2550 | |
| 3.5 L, 26 cm, 4.9 mm | CIK 35G | 3450 | |
| APPE PAN | | | |
| 16 cm, 8 Cups | CIAP 16G | 1925 | |

HAWKINS MINIATURE COOKER

Hawkins

| PRODUCT CODE | MRP (₹) |
|--------------|---------|
| MIN | 220 |

A faithful, non-working miniature reproduction of the 5 Litre Hawkins Classic Pressure Cooker - the body diameter is just 5.4 cm!

FUTURA TOY KITCHEN SET





| DESCRIPTION | PRODUCT CODE | PRODUCT MRP (₹) |
|-----------------|-----------------|--------------------|
| TOY KITCHEN SET | CWMIN | 450 |

- Miniature models of Futura Cookware made to scale
- Hard Anodised products, Non-toxic, no sharp points, stays looking new
- Non-working models. Do not put on heat or flame





HAWKINS KITCHEN GIFT PACKS



| DESCRIPTION OF GIFT PACK | PRODUCT CODE | CONTAINS | PRODUCT MRP (₹) |
|--|-----------------|---|--------------------|
| MINI CASSEROLE GIFT PACK | 23 DGP | 3 SQUARE MINI CASSEROLES, 0.75 LITRE, RED (MCSR75), GREY (MCSG75), YELLOW (MCSY75) | 2775 |
| HARD ANODISED GIFT PACK | 24 HAGP | 17 cm FRYING PAN (AF17), 1.5 LITRE KADHAI WITH LID (AK15S), 22 cm TAVA (AT22) | 3150 |
| NONSTICK GIFT PACK | 24 NSGP | 17 cm FRYING PAN WITH LID (NF17S), 2 LITRE STIR-FRY PAN WITH LID (NDL20G), 22 cm TAVA (NT22) | 3675 |
| AQUA GIFT SET | UBCGP | 3 BABY CASSEROLES, 1.25 LITRE, SQUARE, OVAL, ROUND | 4200 |
| QUIK FRYING PAN SET | IQFS | 3 FRYING PANS, 20 cm (IQF20S), 23 cm (IQF23S), 26 cm (IQF26S) | 2860 |
| TRI-PLY METRO PATILA GIFT PACK | 23 SGP | 3 METRO PATILA, 1.5 LITRE (SSP15), 2 LITRE (SSP20), 2.5 LITRE (SSP25) | 3975 |
| TRI-PLY METRO KADHAI (TASLA) GIFT PACK | 24 STGP | 3 METRO KADHAI (TASLA), 1.5 LITRE (SSTA15), 2 LITRE (SSTA20), 2.5 LITRE (SSTA25) | 3975 |
| CERAMIC NONSTICK GIFT PACK | 24 ICGP | 16 cm FRYING PAN WITH LID (ICF16G), 1.75 LITRE KADHAI WITH LID (ICK175G), 24 cm TAVA (ICT24) | 4200 |

HAWKINS TRINITI KITCHEN SET



- 3 well-matched products to choose from
- Ideal starter kit for your new home, to gift newly weds or as a housewarming present

| HARD ANODISED SET CONTAINING ITEMS MENTIONED | PRODUCT CODE & MRP (₹) |
|--|------------------------------|
| • HAWKINS CONTURA BLACK (CB 35) | PCWSET 1 |
| • FUTURA DEEP-FRY PAN (AD 25) | |
| • FUTURA TAVA (AT 26) | 5500 |

FUTURA NONSTICK COOKWARE SET



| NONSTICK SETS CONTAINING ITEMS MENTIONED | PRODUCT CODE & MRP (₹) |
|---|------------------------------|
| SET 4 WITH GLASS LIDS | NSET 4 |
| • 20 cm FRYING PAN WITH GLASS LID (NF 20G) | |
| • 24 cm FRYING PAN WITH GLASS LID (NF 24G) | |
| • 2 LITRE STIR-FRY PAN (NDL 20) | |
| • 3.25 LITRE CURRY PAN (NCP 325) | |
| • 3 LITRE SAUCEPAN (NS 30) | 7000 |

ELECTRONIC KETTLE WITH MICRO-CHIP













- Smart Kettle shows the precise temperature of the beverage
- No more scalding your tongue with extra-hot tea/coffee
- No more waiting for the drink to cool down after over-heating it
- Unique keep warm function keeps the beverage at the desired temperature for up to 16 hours
- Ideal for infusions like Kadha where the beverage can be held at the right temperature through the day
- 1200 Watts powerful heater heats 2 cups of water from 30°C to 100°C in 150 seconds
- **Healthy, easy to clean** high quality 18/8 food-grade stainless steel. Wide mouth for ease of cleaning



MRP = MAXIMUM RETAIL PRICE PER UNIT INCLUSIVE OF ALL TAXES IN INDIAN RUPEES

| ELECTRONIC KETTLE | | | |
|-------------------|-----------------|---------|--|
| CAPACITY (L) | PRODUCT CODE | MRP (₹) | |
| 1.4 L | FKTA 1 | 2750 | |

SOME NEW LAUNCHES SINCE APRIL 2024





3.5 Litre

Hawkins Cookers Limited

F 101, MAKER TOWER, CUFFE PARADE, MUMBAI 400 005 www.hawkinscookers.com

FOR CONSUMER SERVICE CONTACT:

CUSTOMER SERVICE MANAGER HAWKINS COOKERS LIMITED

NEW UDYOG MANDIR II, PITAMBER LANE, MAHIM, MUMBAI 400 016 PHONE: 022 2444 0807 EMAIL: conserve@hawkinscookers.com

Over 150 recipes at www.hawkins.in/recipes

All prices in this catalog are Maximum Retail Prices inclusive of all taxes. Hawkins Shareholders are eligible for a discount of 25% on the said prices in the period July 13, 2025 to January 31, 2026, as per the terms and conditions stated in the Company's letter dated July 12, 2025.