

### PRESSURE COOKER CATALOG 2021

























#### THE MAKING OF HAWKINS PRESSURE COOKERS

Hawkins Cookers Limited has been in business since 1959. Today, it has two offices, three factories and about 700 persons working. It is the leader in the pressure cooker market in India and has exported its products since 1974 to various countries in each of the six continents of the world.

Worldwide, Hawkins has sold over 100 million units of pressure cookers and cookware by producing products of good design, good quality and considerable consumer benefit. Hawkins pressure cookers are listed by Underwriters Laboratories, USA, an independent worldwide institution testing products for public safety. From February 1, 2021, the Government of India has made it mandatory to list all Pressure Cookers manufactured and sold in India with the Bureau of Indian Standards, commonly known as ISI. All Pressure Cookers manufactured by us thereafter carry the ISI mark.

Each pressure cooker made by Hawkins features an inside-fitting lid. This design is inherently safer than conventional pressure cookers. To open any Hawkins cooker, you have to first lower the lid slightly into the body of the cooker; and that cannot be done until the steam pressure inside the cooker falls to a safe level. Thus Hawkins pressure cookers are pressure-locked for safety – like a jetliner door!

The Hawkins Company is well known for not compromising on quality and for continual product innovation. The most thorough research and development, the most careful selection of materials, the best manufacturing practices and the strictest quality control – all go into making pressure cookers which are trusted by the millions of families using them.

Each cooker is tested to be leak-proof. Along with a superior pressure regulating system, this ensures that Hawkins cooks quickest.

Each pressure cooker comes individually packed in an attractive full-colour carton. Cookbooks/Instruction Manuals come free with each pressure cooker.

Additionally, the individual cartons are packed in master cartons/case packs from 2 to 12 units (depending upon the size of the product). This makes your receiving of shipments more convenient and secure.

All Hawkins pressure cookers are guaranteed for five years.

### CONTENTS

Hawkins Classic Pressure Cooker	3
Hawkins Hevibase Pressure Cooker	5
Hawkins Contura Pressure Cooker	7
Hawkins Contura Black Pressure Cooker	9
Hawkins Contura Black XT Pressure Cooker	11
Ceramic-Coated Hawkins Contura Pressure Cooker	13
Stainless Steel Hawkins Contura Pressure Cooker	15
Hawkins Stainless Steel Pressure Cooker	17
Futura Pressure Cooker	19
Futura Stainless Steel Pressure Cooker	21
Miss Mary Pressure Cooker	23
Miss Mary Handi	25
Hawkins Bigboy Pressure Cooker	27
Hawkins Classic With Separators	29
Hawkins Two-dish Set and Three-dish Set	30
Hawkins Idli Stand and Hawkins Miniature Cooker	31
Hawkins Repair Kit and Main Parts of Pressure Cookers .	32

## Hawkins CLASSIC





### **HAWKINS CLASSIC PRESSURE COOKER**

The Classic is Hawkins' largest-selling, most popular range of pressure cookers – perhaps because of its attractive combination of features, benefits and price. Each Hawkins Classic features an inside-fitting lid. This design is inherently safer than conventional cookers. Thus Hawkins Classic pressure cookers are pressure-locked for safety – like a jetliner door!

This range was the first to be introduced by Hawkins and has been kept fresh and current by numerous innovations and improvements over the years. The latest improvement is a superior pressure regulating system that controls pressure to a narrower, more efficient range, reduces sprouting of frothy foods (such as dal) and is easier to insert and remove.

The safety valve is located under the lid handle bar so that when it operates the steam is safely deflected downwards. The gasket has minimum exposure to steam inside the cooker, does not rub every time the product is opened and closed – so lasts longer.

Stay-cool handles. Fixed sturdy pivot does not put pressure on the plastic handles as it is a part of the metal handle itself. Thus handles last longer. Recommended for use on gas stoves.


























	64D46ITV	BASE FLAT	BASE	PRODUCT	-
PRODUCT CODE	(LITRE)	DIAMETER (mm)	THICKNESS (mm)	MRP (₹) PER UNIT	CASE PACK
CL15	1.5	130	3.25	1050	12
CL20	2	134	3.25	1225	12
CL3T	3 (TALL)	134	3.25	1425	9
CL3W	3 (WIDE)	152	3.25	1500	9
CL35	3.5	164	3.25	1575	6
CL40	4	164	3.25	1725	6
CL50	5	164	3.25	1950	6
CL65	6.5	164	3.25	2150	6
CL8T	8 (TALL)	164	3.25	2325	4
CL8W	8 (WIDE BODY)	208	3.25	2400	4
CL10	10	208	4.06	2725	4
CL12	12	208	4.06	3175	2







### INDUCTION COMPATIBLE HAWKINS HEVIBASE PRESSURE COOKER

A double-thick 6.35 mm base, which is hard anodised and an Induction Compatible disc attached under high pressure to ensure a base that is permanent and heats quickly and evenly. The double-thick, heavy gauge base is ideal for light frying before pressure cooking. The base stays flat, never bulges. Plus, all the features of the Hawkins Classic Pressure Cooker.

Suitable for gas, induction, electric, ceramic and halogen cooktops.













PRODUCT CODE	CAPACITY (LITRE)	BASE FLAT DIAMETER (mm)	BASE THICKNESS (mm)	PRODUCT MRP (₹) PER UNIT	CASE
IH20	2	144	6.35	1550	9
IH30	3	144	6.35	1825	6
IH35	3.5	164	6.35	2050	6
IH50	5	164	6.35	2425	6
IH65	6.5	164	6.35	2625	4
IH80	8 (WIDE BODY)	200	6.35	3100	4

### Abridged Recipe for Vegetable Biryani (Rice Layered with Spicy Vegetables)

For 5 Litre Model: Serves 7

Pressure Cooking Time: 3 minutes



- **2.** Boil 5 cups water in cooker. Add salt, spices and rice. Boil 5 minutes without vent weight. Remove cooker from heat. Transfer rice to a colander and drain.
- **3.** Heat one-fourth cup ghee in cooker 2 minutes. Add onions, ginger paste, cut potatoes and cauliflower. Fry 3 minutes. Add cut beans, carrots and peas. Fry 2 minutes. Add red chilli, cumin and *garam masala* powders, tomatoes, coriander and mint leaves, lemon juice and salt. Fry 3 minutes. Add *paneer*. Mix gently. Add 1 cup water. Stir.
- **4.** Remove cooker from heat. Place rice on vegetables. Dribble saffron-milk over rice. Add hot ghee and cumin seeds.
- **5.** Close cooker. Bring to pressure and cook 3 minutes. Remove cooker from heat. Allow to cool naturally. Release pressure. Open cooker.
- **6.** Garnish with almonds and mint leaves. Serve hot with butter or curd.



## Conturo





### **HAWKINS CONTURA PRESSURE COOKER**

The Contura has all the features and benefits of the Classic plus a unique body with rounded sides for easier stirring, better visibility and easy removal of food. For difficult dishes which require a lot of stirring, the Contura is the ideal cooker. Stay-cool handles. Recommended for use on gas stoves.















PRODUCT CODE	CAPACITY (LITRE)	BASE FLAT DIAMETER (mm)	BASE THICKNESS (mm)	PRODUCT MRP (₹) PER UNIT	CASE PACK
HCI5	1.5	130	3.25	1100	12
HC20	2	134	3.25	1300	9
HC30	3	130	3.25	1500	9
HC35	3.5	150	3.25	1675	8
HC40	4	130	3.25	1775	6
HC50	5	150	3.25	2050	6
HC65	6.5	150	3.25	2275	4







### HAWKINS CONTURA BLACK PRESSURE COOKER

The Hawkins Contura Black models have all the features and benefits of the Hawkins Contura Pressure Cooker in a hard anodised body and stainless steel lid. The beautiful, durable black finish given by 60 microns thick hard anodising has two benefits. It makes the pressure cooker absorb heat faster making it more energy-efficient. And the pressure cooker stays looking new for years. Recommended for use on gas stoves.





4 LITRE

IDEAL FOR **4** TO **6** PERSONS

**5** LITRE

CODE CB20

IDEAL FOR 2 OR 3 PERSONS

2 LITRE

CODE CB50

IDEAL FOR **5** TO **7** PERSONS

CODE CB30

IDEAL FOR 3 OR 4 PERSONS

CODE CB65

**6.5** LITRE

IDEAL FOR **7** TO **9** PERSONS

CODE CB35


3.5 LITRE

IDEAL FOR 4 OR 5 PERSONS

PRODUCT CODE	CAPACITY (LITRE)	BASE FLAT DIAMETER (mm)	BASE THICKNESS (mm)	PRODUCT MRP (₹) PER UNIT	CASE PACK
CB15	1.5	130	3.25	1475	12
CB20	2	134	3.25	1750	9
CB30	3	130	3.25	2025	9
CB35	3.5	150	3.25	2200	8
CB40	4	130	3.25	2350	6
CB50	5	150	3.25	2775	6
CB65	6.5	150	3.25	3050	4

### What is Hard Anodising?

Hard Anodising was first developed by Russian scientists to produce a metal surface tough enough for space travel. The same technology is now used to make the most advanced Pressure Cooker. Through a process of electrolysis at sub-zero temperature using a high intensity electric current, a 60 micron thick layer of aluminium oxide (Al<sub>2</sub>O<sub>3</sub>) is formed molecule by molecule as an integral part of pure, virgin aluminium. This process is called Hard Anodising. It produces a tough surface with wonderful properties for cooking.



- Thermal-efficient: heats fast and evenly
- Not spoilt by high heat
- 2.4 times harder than steel
- Non-toxic, non-staining, non-reactive with foods
- Will not pit, tarnish or corrode
- Stays looking new for years

# Conturb XT BLACK





### INDUCTION COMPATIBLE HAWKINS CONTURA BLACK XT PRESSURE COOKER

The Induction Compatible Hawkins Contura Black XT Pressure Cooker has all the features and benefits of the Hawkins Contura Black Pressure Cooker. Additionally, permanently attached to the Xtra Thick base is a plate of AISI 430 grade magnetic stainless steel which makes the cooker Induction Compatible. The 4.88 mm Xtra Thick base cooks quickly and evenly and retains heat well.

Suitable for gas, induction, electric, ceramic and halogen cooktops.









PRODUCT CODE	CAPACITY (LITRE)	BASE FLAT DIAMETER (mm)	BASE THICKNESS (mm)	PRODUCT MRP (₹) PER UNIT	CASE PACK
CXT20	2	141	4.88	2000	9
CXT30	3	143	4.88	2300	8
CXT35	3.5	150	4.88	2600	6
CXT50	5	150	4.88	3125	4



## **CERAMIC-COATED** Conturo Conturo Pressure Cooker 3 LITRE CODE: CTR30



### CERAMIC-COATED HAWKINS CONTURA PRESSURE COOKER

The Ceramic-Coated Hawkins Contura has all the features and benefits of the Hawkins Contura Pressure Cooker and has a non-toxic ceramic coating only on the exterior of the cooker body. The Ceramic-Coated body is scratch- and stain-resistant. The mouth of the cooker body is provided with a metallic rim for additional safety. It has a black base that heats quickly. Recommended for use on gas stoves.















PRODUCT CODE	CERAMIC COLOUR	CAPACITY (LITRE)	BASE FLAT DIAMETER (mm)	BASE THICKNESS (mm)	PRODUCT MRP (₹) PER UNIT	CASE PACK
CMY30	MUSTARD YELLOW	3	130	3.25	2150	9
CAG30	APPLE GREEN	3	130	3.25	2150	9
CTR30	TOMATO RED	3	130	3.25	2150	9
CMY50	MUSTARD YELLOW	5	150	3.25	2925	6
CAG50	APPLE GREEN	5	150	3.25	2925	6
CTR50	TOMATO RED	5	150	3.25	2925	6

# STAINLESS STEEL Hawkins onture





### INDUCTION COMPATIBLE STAINLESS STEEL HAWKINS CONTURA PRESSURE COOKER

The Stainless Steel Hawkins Contura has all the features and benefits of the Hawkins Contura Pressure Cooker, with a body and lid made from superior grade AISI 304 non-magnetic stainless steel. The cooker has an external base of AISI 430 grade magnetic stainless steel which makes it Induction Compatible. It has a 6.6 mm thick sandwich bottom to ensure uniform heating and no hotspots. The base always stays flat and never bulges. The cooker body has curved sides for easy stirring. It stays bright, does not pit or corrode, is extremely hygienic and stays looking new for years. Suitable for use on all domestic gas, electric, halogen, ceramic and induction cooktops.











PRODUCT CODE	CAPACITY (LITRE)	BASE FLAT DIAMETER (mm)	BASE THICKNESS (mm)	PRODUCT MRP (₹) PER UNIT	CASE PACK
SSC15	1.5	125	6.6	2275	9
SSC20	2	127	6.6	2575	6
SSC30	3	131	6.6	3000	6
SSC35	3.5	155	6.7	3250	6
SSC50	5	156	6.6	3625	4



- Body and Lid 18Cr/8Ni AISI 304 superior surgical grade Non-magnetic stainless steel
- Induction Compatible Base AISI 430 magnetic stainless steel

Recipe for Gajar ka Halwa (Carrot Pudding) For 3 Litre Model: Serves 5


**Pressure** Cooking Time: 0 minute


- carrots 6 large (2 lb 7 oz / 1.1 kg) 1. Put carrots and milk in cooker.
  - peeled and grated
- milk# 1/4 cup / 60 ml
- **sugar** 1 cup + 3 tbsp / 240 g
- mava/khoya\* 1½ cups + 1½ tbsp/

  - **ghee** 1/4 cup / 50 g
  - almonds 12 blanched,

    - \* whole dried milk

- 2. Close cooker. Bring to full pressure on high heat. Remove cooker immediately from heat. Release pressure with slight
- milk on high heat. Add sugar. Cook till liquid dries up (about 13 minutes), stirring occasionally. Add mava and ghee. Cook till ghee shows separately (about 8 minutes), stirring constantly. Serve hot, garnished with almonds.













### INDUCTION COMPATIBLE HAWKINS STAINLESS STEEL PRESSURE COOKER

The body and lid are 100% stainless steel. To ensure uniform heating, the bottom has a core of 4.06 mm thick aluminium sandwiched between two sheets of stainless steel. The base always stays flat, never bulges.

Stainless steel stays bright, does not pit or corrode, is easy to clean and extremely hygienic. Can be used safely for light and deep frying and pressure cooking.

Suitable for gas, induction, electric, ceramic and halogen cooktops.



















PRODUCT CODE	CAPACITY (LITRE)	BASE FLAT DIAMETER (mm)	BASE THICKNESS (mm)	PRODUCT MRP (₹) PER UNIT	CASE
HSS15	1.5	125	5.81	2150	9
HSS20	2	130	5.81	2450	8
HSS3T	3 (TALL)	130	5.81	2875	6
HSS3W	3	158	5.81	3000	6
HSS40	4	158	5.81	3250	4
HSS50	5	158	5.81	3500	4
HSS60	6	158	5.81	3850	4
HSS80	8	196	7.00	5150	4
HSS10	10	196	7.00	5600	2 /









#### **FUTURA PRESSURE COOKER**

A beautiful combination of form and function, Futura is the only pressure cooker in the world to have been displayed by The Museum of Modern Art, New York.

Futura cooks on average 46% faster than a microwave oven.

The beautiful, durable black finish given by 60 microns thick hard anodising has two benefits. It makes the pressure cooker absorb heat faster making it more energy-efficient. And the pressure cooker stays looking new for years.

The unique pressure regulating system gives you the convenience of finger-tip pressure release and prevents clogging of the steam vent. The double-thick base stays flat, heats evenly and is ideal for light frying before pressure cooking.

Suitable for gas, electric, ceramic and halogen. Induction Compatible models available in 2 Litre, 3 Litre, 4 Litre, 5 Litre and 6 Litre.



CODE IFP20



INDUCTION **COMPATIBLE**  2 LITRE

**IDEAL FOR** 2 OR 3 PERSONS





CODE IFP30



3 LITRE

**IDEAL FOR** 3 OR 4 PERSONS



CODE IFP40



4 LITRE

**IDEAL FOR** 4 TO 6 PERSONS



CODE IFP50



**5** LITRE

**IDEAL FOR** 5 to 7 persons



**CODE** IFP60

CODE



**6** LITRE

**7** LITRE

**JUMBO** 

**IDEAL FOR** 

**IDEAL FOR** 6 to 8 persons



FP7J **FUTURA** 7 to 10 PERSONS



PRODUCT CODE	CAPACITY (LITRE)	BASE FLAT DIAMETER (mm)	BASE THICKNESS (mm)	PRODUCT MRP (₹) PER UNIT	CASE PACK
FP20	2	134	6.35	3075	6
IFP20	2	134	6.35	3175	8
FP30	3	152	6.35	3425	6
IFP30	3	152	6.35	3525	6
FP40	4	179	6.35	3995	4
IFP40	4	179	6.35	4145	4
FP50	5	179	6.35	4200	4
IFP50	5	179	6.35	4350	4
FP60	6	179	6.35	4500	4
IFP60	6	179	6.35	4650	4
FP7T	7	179	6.35	4825	2
FP7J	7 (JUMBO)	200	6.35	4900	2
FP90	9	200	6.35	5650	2







### INDUCTION COMPATIBLE FUTURA PRESSURE COOKER IN STAINLESS STEEL

The beautiful form and function of the Futura Pressure Cooker – executed in stainless steel. The 7 mm thick base contains a 4.9 mm thick aluminium disc sandwiched in stainless steel for efficient heat dispersion.

Suitable for gas, electric, ceramic, halogen and induction cooktops.





PRODUCT CODE	CAPACITY (LITRE)	BASE FLAT DIAMETER (mm)	BASE THICKNESS (mm)	PRODUCT MRP (₹) PER UNIT	CASE PACK
FSS40	4	173	7.00	4600	4
FSS55	5.5	173	7.00	5125	4

### THE HAWKINS TEST KITCHEN

All Cookbooks and Instruction Manuals are written by the Hawkins Test Kitchen. The Test Kitchen writes instructions for the user, develops recipes and solves customer problems. Established in 1984, it has since then tested hundreds of products before launch. If a prototype has some issues the Test Kitchen sends it back to the R&D Centre for improving the design. The Test Kitchen tests products from the consumer's point of view.















### **MISS MARY PRESSURE COOKER**

Miss Mary is a well-made and reliable pressure cooker that will not leak. It will give trouble-free service and is totally safe. Miss Mary Pressure Cookers go through all the applicable rigorous checks and tests as are applied on other pressure cookers manufactured by Hawkins and are quality-certified by the Bureau of Indian Standards (popularly known as ISI). Recommended for use on gas stoves.





















PRODUCT CODE	CAPACITY (LITRE)	BASE FLAT DIAMETER (mm)	BASE THICKNESS (mm)	PRODUCT MRP (₹) PER UNIT	CASE PACK
MM15	1.5	130	3.25	900	12
MM20	2	130	3.25	975	9
MM25	2.5	134	3.25	1025	12
MM30	3	134	3.25	1125	9
MM35	3.5	134	3.25	1175	9
MM40	4	152	3.25	1300	6
MM50	5	164	3.25	1450	6
MM60	6	164	3.25	1600	4
MM70	7	164	3.25	1750	4
MM85	8.5	208	3.25	1925	4

### MISS MARY Handi



CODE: MMH50



### **MISS MARY HANDI**

Miss Mary Handi pressure cooker features a Curved Body for easy stirring, easy removal of food, better visibility of food. It is made of pure virgin, metal which is stronger and lasts longer. It has an improved Vent Weight (Whistle) which is more efficient, causes less dal sprouting, cooks faster and saves fuel. It also features an inside-fitting lid which will not open under pressure. A Shielded Safety Valve located under the lid handle bar, deflects steam and is more safe. It has sturdy and strong handles which are comfortable to hold. Each Miss Mary cooker is tested to be leak-proof.





PRODUCT CODE	CAPACITY (LITRE)	BASE FLAT DIAMETER (mm)	BASE THICKNESS (mm)	PRODUCT MRP (₹) PER UNIT	CASE PACK
MMH30	3	143	3.25	1225	9
MMH50	5	150	3.25	1550	6

### **Abridged Recipe for Masala Gobi (Spicy Cauliflower)**

### For 3 Litre Model: Serves 12

6<sup>3</sup>/<sub>4</sub> cups / 1.6 litres water

 $2 \text{ tbsp} + \frac{1}{2} \text{ tsp} / 32.5 \text{ ml}$ salt

> 2 medium heads  $(2\frac{1}{2} lb / 1.2 kg)$

#### cauliflower

cut into 11/4-11/2 inch / 3-4 cm flowerettes with ½ inch / 1 cm stalks; cut remaining tender stalks into ½ inch / 1 cm cubes (720 g)

1½ tbsp / 22.5 ml poppy seeds

> 3 tbsp / 30 g cashew nuts broken

> > into pieces

 $1 \times 1\frac{1}{2}$  inch / 3.8 cm piece  $(\frac{1}{2} \text{ oz} / 15 \text{ g})$ 

fresh ginger

9 small cloves

garlic

green chillies

3/4 cup / 180 ml vegetable oil

3 large (1 lb / 450 g) onions grated

4 medium (13 oz / 375 g) tomatoes blanched,

skins removed and chopped

3/4 tsp / 3.8 ml turmeric

 $1\frac{1}{2}$  tsp / 7.5 ml coriander powder

3/4 tsp / 3.8 ml cumin powder

 $1\frac{1}{2}$  tsp / 7.5 ml red chilli powder


<sup>3</sup>/<sub>4</sub> cup / 180 ml curd beaten

1½ tbsp / 22.5 ml coriander leaves chopped

### **Pressure Cooking Time 2 minutes**

- **1.** In a bowl, add  $5\frac{3}{4}$  cups/1.4 litres water with 1 tbsp /15 ml salt. Put cauliflower in bowl and keep about 30 minutes. Drain.
- 2. Grind together poppy seeds and cashew nuts into a paste, gradually adding ½ cup /60 ml water time to time.
- **3.** Separately grind together ginger, garlic and green chillies into a paste.
- **4.** Heat oil in cooker about 2 minutes. Add onions and fry till golden brown.
- **5.** Add ginger paste, tomatoes, turmeric, coriander, cumin and red chilli powders and remaining salt (1 tbsp  $+\frac{1}{2}$  tsp /18 ml). Cook till tomatoes are pulpy, stirring occasionally.
- **6.** Add 1 tbsp/15 ml curd. Stir and fry until curd is well blended (about ½ minute). Add remaining curd in the same way, a tablespoon at a time, till all curd is used. Stir and fry till oil shows separately (about 3 minutes).
- **7.** Add cauliflower. Stir fry about 5 minutes. Add remaining water (3/4 cup/180 ml). Mix.
- **8.** Close cooker. Bring to full pressure on high heat. Reduce heat and cook 2 minutes.
- **9.** Remove cooker from heat. Release pressure with slight lifting of vent weight.
- **10.** Open cooker. Add cashew nut paste. Return cooker to medium heat. Cook about 2 minutes, stirring gently. Serve hot, garnished with coriander leaves.

### Hawkins BIGBOY



#### **HAWKINS BIGBOY PRESSURE COOKER**


The Bigboy range has been specially designed to cook large quantities of food quickly and economically. It is most useful in restaurants, hotels, canteens in factories, hospitals, schools and colleges. Also, canteens in many civil or military government establishments are using the Hawkins Bigboy.

The 18 Litre and 22 Litre Bigboy Pressure Cookers have a pair of sturdy lifting handles attached to the sides of the pressure cooker for convenience in handling the heavy weight carried by such pressure cookers. The plastic handles of all Bigboy Pressure Cookers are made from reinforced fibreglass for extra strength. Similarly, all other components of Bigboy Pressure Cookers are made for heavy duty. A chain is attached to the vent weight to prevent loss in busy kitchens.

Recommended for use on gas or kerosene stoves. They may also be used on coal burning or firewood stoves provided a suitable gap of at least 1 inch is kept between the fuel and the bottom of the cooker.









### COOK LARGE QUANTITIES OF HEALTHY, TASTY FOOD QUICKLY AND ECONOMICALLY

ITEM	QUANTITY	COOKING TIME
RICE	16 kg/35.3 pounds	29 minutes
RED GRAM (Tur Dal)	15 kg/33.1 pounds	29 minutes
SPICED CHICKPEAS CURRY (Channa Masala)	13 kg/28.7 pounds	48 minutes
SPICED MUTTON CURRY (Mutton Masala)	16 kg/35.3 pounds	39 minutes

PRODUCT CODE	CAPACITY (LITRE)	BASE FLAT DIAMETER (mm)	BASE THICKNESS (mm)	PRODUCT MRP (₹) PER UNIT	CASE PACK
BB14	14	208	4.06	3700	3
BB18	18	245	4.88	5900	2
BB22	22	245	4.88	6600	2



Hawkins



### HAWKINS CLASSIC PRESSURE COOKER WITH SEPARATORS

Make a quick-n-easy, delicious, healthful meal using the Hawkins Separator Set, that can cook 2 or 3 dishes at the same time in your Hawkins pressure cooker. Cook healthier, low-oil foods in pure steam. Save more time, more fuel. Plus, clean-up is much easier! Separator Sets have 2 or 3 food containers and a stand for convenient insertion and removal of the stack of containers. The versatile containers can also be used for steaming foods that are to be kept out of water, and for reheating foods conveniently.

Separator Sets are made of pure, virgin aluminium, and are presently offered packed inside 3 Hawkins Classic Pressure Cooker models: 5 Litre (with 2 containers) and 6.5 Litre & 10 Litre pressure cookers (with 3 containers). All 3 sizes are also offered without Separator Sets (see page 4).







PRODUCT CODE	CAPACITY (LITRE)	BASE FLAT DIAMETER (mm)	BASE THICKNESS (mm)	PRODUCT MRP (₹) PER UNIT	CASE PACK	IDEAL FOR
CL51	5	164	3.25	2150	6	2-3 Persons
CL66	6.5	164	3.25	2425	6	3-4 Persons
CLII	10	208	4.06	3100	3	4-6 Persons



### **TWO-DISH SET & THREE-DISH SET**

Make a quick-n-easy, delicious, healthful meal using these Sets in your Hawkins pressure cooker, that can cook 2 or 3 dishes at the same time. Cook healthier, low-oil foods in pure steam. Save more time, more fuel. Plus, clean-up is much easier! These Sets have 2 or 3 hard anodised food containers for healthy and hygienic cooking, and a stand for convenient insertion and removal of the stack of containers. The versatile containers can also be used for steaming foods that are to be kept out of water, and for reheating foods conveniently.


The Two-Dish Set is suitable for use in many of our pressure cooker models between 4 and 6 Litre, and the Three-Dish Set for many of our pressure cooker models between 6.5 and 12 Litre.







PRODUCT CODE	NUMBER OF CONTAINERS	PRODUCT MRP (₹) PER UNIT	CASE PACK
ADS5	2	700	12
ADS65	3	975	12



### **HAWKINS IDLI STANDS**

Make idlis easily and quickly at home, even if you've never made them before, with the Hawkins Idli Stand, Choose from 4 models for making 12 or 18 delicious, fluffy idlis at a time – in 6 minutes! Each Hawkins Idli Stand is securely packed in its own full-colour box, with full instructions on how to make idli, chutney and sambar.

PRODUCT CODE	CAPACITY	DESIGNED FOR	PRODUCT MRP (₹) PER UNIT	CASE PACK
ID12S	12 Idlis	3 Litre Tall	280	48
ID12L	12 Idlis	5 Litre	340	36
SSID5	12 Idlis	5 Litre	535	18
ID18L	18 Idlis	6.5 Litre	460	24

NEW! STAINLESS STEEL **IDLI STAND** 

> **CAPACITY:** 12 IDLIS CODE: SSID5


### Hawkins **MINIATURE**



### **HAWKINS MINIATURE COOKER**

A faithful, non-working miniature reproduction of the Hawkins Litre Classic Pressure Cooker – the body diameter is just 5.4 cm! The Hawkins Miniature Cooker comes individually packed in a scaled-down version of the Hawkins 5 Litre unit carton. 32 individually packed units are contained in an attractive full-colour display carton for effective display.

PRODUCT CODE	PRODUCT MRP (₹) PER UNIT	CASE PACK
MIN	200	32









#### THE HAWKINS REPAIR KIT

Now you can do some repairs of your pressure cooker yourself and get back to cooking in just five minutes! All you need is a screwdriver – the other parts and tools are all there in the Hawkins Repair Kit. No more risk of using spurious parts, incurring unnecessary repair costs or dealing with untrained, unscrupulous mechanics. This kit is ideally suited to be used abroad, or in towns where there is no Hawkins Authorised Service Centre nearby.

PRODUCT CODE	PRODUCT MRP (₹) PER UNIT	CASE PACK
KIT5L	210	10

#### Suitable for the following Pressure Cookers:

- CLASSIC (3.5, 4, 5, 6.5 Litre & 8 Litre Tall)
- HEVIBASE (3.5, 5, 6.5 Litre)
- All CONTURA except Stainless Steel, 3.5, 5, 6.5 Litre



### Main Parts of the Hawkins Pressure Cooker





### **HAWKINS GENUINE SPARE PARTS**

Hawkins has developed a complete range of genuine spare parts that may be required through the life of any Hawkins model across the entire range of our pressure cookers.

Simple replacement of parts like gasket, safety valve and handles can be done by you by following instructions provided in our cookbooks or on our website. Other repairs must be done only by an Hawkins authorized service centre or representative.

Expert, lifelong free service is available from over 694 Hawkins Authorised Service Centres in India listed in the Service Centre Directory that accompanies each pressure cooker shipped in India.

Pressure Cookers exported to other countries carry details of the party to be contacted in case of any requirement of parts or service.

### Hawkins Pricelist of Packaged Parts GENUINE PARTS of the Pressure Cooker



CODE	MRP	PART NAME	APPLICABILITY				
	Hawkins Gasket						
A00-09	25	Mini	1.5L, XT 2L, SSC 1.5L-2L				
A10-09 or BG1	30	Baby	2L, 3L Tall, 4L Tall All Contura 4L, MM 2.5L-3.5L				
B25-09	30	SS Baby	SS 2L, 3L Tall, SSC 3L				
A30-09	30	3L Wide	Classic 3L Wide				
B10-09	35	Standard	3.5L-8L Tall (except as above) SS 3L-7L, SSC 5L				
D10-09	65	Intermediate	8L Wide Body-12L, BB 14L				
D30-09	65	SS Intermediate	SS 8L Wide Body & 10L				
E20-09	75	Bigboy	18L & 22L				

CODE	MRP	APPLICABILITY			
Futura Sealing Ring					
F05-16	45	2L			
F40-16	45	3L			
F10-16	50	3.5L-7L,			
		FSS 4L & 5.5L			
O70-16	65	7L Jumbo & 9L			

Header Card fo	or BGI:				
Code:	BG24				
Configuration:	24 units				
Price:	Rs.720				
Header Card for B10-09:					
Header Card fo	or B10-09:				
Header Card for Code:	or <b>B10-09</b> : B24-09				

### **SAFETY VALVE**



CODE	MRP	APPLICABILITY				
Hawkins Safety Valve						
SVI	25	1.5L-14L (All Hawkins)				
E20-10	25	Bigboy I 8L & 22L				
Futura Safety Valve						
F10-12	25	HA 2L-9L				
F50-12	25	SS 4L & 5.5L				

\* Header Card Code: SV25 Configuration: 25 units Price: Rs.625 for SVI:

### **VENT WEIGHT / PRESSURE REGULATOR**



CODE	MRP	PART NAME	APPLICABILITY				
Hawkins Vent Weight/Pressure Regulator							
B10-20	160	Vent Weight	1.5L-12L, SS, BB version '75/'95/#				
H10-20	160	Pressure Regulator	1.5L-12L v.'05/13				
	Futura Pressure Regulator						
F10-14	250	Pressure Regulator	2L-9L				

### **VENT TUBE / STEAM VENT**



CODE	MRP	APPLICABILITY	
Hawl	ins ۱	Vent Tube with Nut & Washer	
B10-18	80	1.5L-8L Tall, 2L-7L SS & SSC v. 1975	
BII-18	75	1.5L-8L Tall, 2L-7L SS & SSC 1995#	
H10-18	75	1.5L-8L Tall, All Contura (ex SSC) v.'05/*13	
D10-18	80	8L Wide Body-12L, Bigboy 14L-22L,	
		8L-10L SS v.'75/'95#	
H80-18	80	8L Wide Body-12L v.'05/'13	
Futui	ra St	eam Vent with Nut & Washer	
F12-13	115	Futura HA 2L-9L	
F50-13	115	SSF 4L & 5.5L	

### **SUBSIDIARY BODY HANDLE**



LID HANDLE WITH RIVETS

	CODE	MRP	APPLICABILITY
	Hawk	cins Sul	bsidiary Body Handle
7	B10-05	40	4L-12 L version 1975
L	B11-05	40	3.5L-12 L v.'95/'05
			(excl. Contura)
	Hawkin	s Sub. I	Body Handle with Screw
	M44-05	50	All Contura 4L
	M19-05	50	All Contura 5L & 6.5L
÷	E02-05	90	Bigboy I4L
	P65-05	50	SS 4L-10L with screw
			v. I 3 (use with
			Nut of B3 I - 06)
	B39-05	65	4L-10L with screw
			& nut v.95'
	Futura S	Short B	Body Handle with Screw
	F57-04	70	SSF 4L
	F59-04	90	4L-9L & SSF 5.5L

APPLICABILITY

3.5L-7L,

SSF 4L & 5.5L

## **BODY HANDLE**

CODE	MRP	APPLICABILITY			
Hawkins Body Handle					
B10-01	50	2L-12L v. 1975			
BII-0I	50	1.5L-12L v.'95/'05			
Hawkins Body Handle					
With	2 Stud	ds & 2 Screws			
B21-01	60	1.5L-12L v. 2013			
E01-01	125	Bigboy 14L v. 13			
E29-01	130	Bigboy 18L & 22L			
(		, ,			

		APPLICABILITY		
Futura Long Body Handle With Screw & Washer (& Nut#)				
F09-01	115	2L		
F49-01	115	3L		
F39-01	135	3.5L-4L		
F57-01	150	SSF 4L#		
F19-01	150	5L-7L v.'84/'94#		
F59-01	150	5L-7L v. 2005 & SSF 5.5L#		
079-01	175	7L Jumbo-9L#		

CODE MRP APPLICABILITY **Hawkins Lid Handle with Rivets** B21-13 1.5L-8L Tall D21-13 8L Wide Body-12L E30-13 Bigboy 14L-22L

7L Jumbo-9L O79-08 135 ^ For Pressure Cookers manufactured in Thane: versions 95/05 will use Subsidiary Body Handle B11-05, and version 2013 will use P65-05

CODE

F09-08

F49-08

F19-08

MRP Futura Lid Handle with Screws

90

105

125

<sup>#</sup>Version: For SS, SSC & Bigboy, also for Versions 05/13 \*MRP = PER UNIT

### 64 Countries in which Our 100 Million Products (Pressure Cookers & Cookware) have been sold.



### **North America**

- Canada
- Panama
- Mexico • USA

### **Latin America**

- Colombia Trinidad &
- Curaçao
- Tobago Guyana Venezuela
- Peru

- Belgium
- Czech
  - Republic
- Finland
- France
- Germany
- Gibraltar
- Hungary
- Ireland
- Italy
- Netherlands
- Poland
- Portugal
- Spain
- Switzerland
- United
  - Kingdom
- Yugoslavia

### **Africa**

- Botswana
- Kenya
- Madagascar
- Mauritius
- Nigeria
- Réunion South Africa
- Tanzania

### **Asia**

- Afghanistan Israel
- Bahrain Japan
- Bangladesh
   Kazakhstan
- Bhutan
- Burma
- Hong Kong
- India
- Indonesia
- Iran

- Kuwait
- Malaysia
- Nepal
- Oman
- Philippines
- Qatar
- Singapore South

Arabia

Korea

Saudi

- Sri Lanka
- Thailand
- UAF Vietnam
- Australia
- New Zealand
- Papua New Guinea
- Fiii
- Vanuatu



Hawkins, Hawkins (Classic, Stainless Steel, Hevibase and Bigboy), Hawkins Contura, Hawkins Contura (Tomato Red, Mustard Yellow, Apple Green, Black, Black XT and Stainless Steel), Miss Mary (Handi) and Futura (Hard Anodised) are the Registered Trademarks Of Hawkins Cookers Limited in India and various other Countries.

2021 Copyright Reserved. The entire contents of this catalog including designs, photography, text and logos are the property of Hawkins Cookers Limited. All rights reserved. The products shown in this catalog are protected by patents and/or design registrations and/or other applicable laws concerning Intellectual Property Rights in India and in various other countries. Product specifications are correct as of June 1, 2021 and are subject to change without notice. Any unauthorised use or reproduction of any part or whole of this catalog for commercial or other purpose or any una uthorised use of the aforesaid Intellectual Property Rights is a violation of law and may invite appropriate civil and/or criminal action.

## Hawkins Cookers Limited

www.hawkinscookers.com

### FOR ENQUIRIES CONTACT:

Hawkins Marketing Department New Udyog Mandir 2, Pitamber Lane Mahim, Mumbai 400 016 Maharashtra, India

Tel: +91 (22) 2444 0807; Fax: +91 (22) 2444 9152 Email: conserve@hawkinscookers.com

Corporate Identity Number: L28997MH1959PLC011304